



US00D417974S

United States Patent [19] Mori

[11] Patent Number: **Des. 417,974**

[45] Date of Patent: **** Dec. 28, 1999**

[54] **BELLOWS DISK CASE**

[76] Inventor: **Takanori Mori**, 22-12, Igusa 3-chome,
Suginami-ku, Tokyo-to, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/066,955**

[22] Filed: **Feb. 28, 1997**

[51] **LOC (6) Cl.** **06-04**

[52] **U.S. Cl.** **D6/407**

[58] **Field of Search** D6/407, 631, 632,
D6/633, 634; D3/201, 245, 301, 289; 206/308.1,
309, 310, 311, 312; D9/432, 423, 346

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 327,638	7/1992	Denkin	D6/632
D. 342,445	12/1993	Brewer	D6/632
D. 352,199	11/1994	Stumpff et al.	D6/407
D. 387,976	12/1997	Mori	D9/346
D. 388,951	1/1998	Mori	D3/201
646,638	4/1900	Cutler	.	
2,333,798	11/1943	Kner	.	
2,874,828	2/1959	Neugebauer	.	
3,063,618	11/1962	Berkowitz	.	
3,063,619	11/1962	Rhoten	.	
3,648,923	3/1972	Young	.	
3,933,294	1/1976	Meenan et al.	.	
4,015,350	4/1977	Zurwelle	.	
4,453,631	6/1984	Mark	.	
4,470,083	9/1984	Doering et al.	.	
4,497,009	1/1985	Oishi et al.	.	
4,536,812	8/1985	Oishi et al.	.	
4,700,839	10/1987	Fujii	.	

4,730,727	3/1988	Petroff	206/311
4,762,225	8/1988	Henkel	206/311
4,837,590	6/1989	Sprague	.	
5,040,167	8/1991	Tanaka et al.	.	
5,268,808	12/1993	Childers	.	
5,271,502	12/1993	Chang	206/425
5,394,981	3/1995	Cameron	.	
5,515,968	5/1996	Taniyama	206/308.1
5,522,500	6/1996	Mori	206/308.1
5,662,217	9/1997	Durr	206/308.1
5,749,463	5/1998	Collins	206/308.1

FOREIGN PATENT DOCUMENTS

520518	4/1940	European Pat. Off.	.
686334	1/1953	European Pat. Off.	.

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Catherine R. Oliver
Attorney, Agent, or Firm—Testa, Hurwitz & Thibeault, LLP


[57] **CLAIM**

The ornamental design for a bellows disk case, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the bellows disk case showing my design.
FIG. 2 is a top plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a cross sectional view taken on line A-A of FIG. 4; and,
FIG. 9 is a view shown in an open and flat position.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2




FIG. 6




FIG. 5




FIG. 4




FIG. 3



FIG. 8



FIG. 7




FIG. 9