



US00D418125S

United States Patent [19]
Jobs et al.

[11] **Patent Number: Des. 418,125**

[45] **Date of Patent: ** Dec. 28, 1999**

[54] **CURSOR CONTROL DEVICE**

[75] Inventors: **Steven P. Jobs**, Palo Alto; **Jonathan P. Ive**; **Daniel J. Coster**, both of San Francisco; **Christopher J. Stringer**, Pacifica; **Daniele De Iuliis**, San Francisco; **Bartley K. Andre**, Menlo Park; **Richard P. Howarth**, San Francisco; **Calvin Q. Seid**, Palo Alto; **Douglas B. Satzger**, San Carlos; **Marc J. van de Loo**, Palo Alto, all of Calif.

D. 389,821 1/1998 Martella D14/114
D. 391,944 3/1998 Han D14/114
D. 396,852 8/1998 Chao D14/114
D. 399,835 10/1998 Goldstein et al. D14/114

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Nancy R. Simon

[73] Assignee: **Apple Computer, Inc.**, Cupertino, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **29/096,012**

[22] Filed: **Nov. 3, 1998**

[51] **LOC (6) Cl.** **14-02**

[52] **U.S. Cl.** **D14/117.1**

[58] **Field of Search** D14/100, 114,
D14/117.1-117.9; D13/158; D21/385, 333;
200/5 R, 5 A, 6 R, 6 A; 273/148 B; 345/156-67;
74/471 XY; 463/36-39

[57] **CLAIM**

The ornamental design for a cursor control device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right side perspective view of a cursor control device, showing the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right side view thereof, the left is a mirror image;

FIG. 5 is a back view thereof; and,

FIG. 6 is a bottom view thereof.


The broken line drawing of a circular opening in FIGS. 3 and 6 is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 381,013 7/1997 Allana et al. D14/114

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6