



US00D418408S

**United States Patent** [19]  
**Humphrey**

[11] **Patent Number: Des. 418,408**  
[45] **Date of Patent: \*\* Jan. 4, 2000**

[54] **PACKAGE**  
[75] Inventor: **Neall W. Humphrey**, El Dorado Hills, Calif.  
[73] Assignee: **Trade Source International**, El Dorado Hills, Calif.  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/105,043**  
[22] Filed: **May 17, 1999**  
[51] **LOC (7) Cl.** ..... **09-07**  
[52] **U.S. Cl.** ..... **D9/415**  
[58] **Field of Search** ..... D9/415, 418, 414, D9/337, 341; 206/461-471, 495, 775-783, 765, 320

4,702,374 10/1987 Kelner ..... 206/418  
4,781,289 11/1988 Perkins ..... 206/45.24  
4,823,960 4/1989 Perlberg et al. .... 206/587  
4,848,577 7/1989 Hoffman et al. .... 206/467  
4,901,858 2/1990 Anderson ..... 206/461  
5,002,187 3/1991 Rysner et al. .... 206/461  
5,064,056 11/1991 Gresh ..... 206/45.19  
5,188,222 2/1993 Pierce ..... 206/45.34  
5,325,961 7/1994 Ford et al. .... 206/471 X  
5,452,802 9/1995 Green ..... 206/466  
5,495,937 3/1996 Fraser ..... 206/45.14  
5,626,226 5/1997 Gardiner et al. .... 206/349  
5,813,546 9/1998 Wilson et al. .... 206/471 X  
5,890,593 4/1999 Humphrey ..... 206/471

**OTHER PUBLICATIONS**

Techform Inc. (From Shoeo, Nov. 1982.  
*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Oppenheimer Wolff & Donnelly LLP

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**


D. 190,394 5/1961 Robinson ..... D9/415 X  
D. 309,262 7/1990 Coiner ..... D9/418  
D. 321,323 11/1991 Nakamura ..... D9/415  
D. 350,693 9/1994 Pratt ..... D9/415  
D. 371,071 6/1996 Ford ..... D9/415  
D. 394,384 5/1998 Humphrey ..... D9/415  
D. 414,108 9/1999 Humphrey ..... D9/415  
1,784,937 12/1930 Kreslawsky .  
2,873,023 2/1959 Erickson ..... 206/45.34  
3,064,402 11/1962 Crane ..... 53/30  
3,289,830 12/1966 Foote ..... 206/469  
3,402,810 9/1968 Perceley ..... 206/461  
3,416,656 12/1968 Addiego ..... 206/78  
3,420,361 1/1969 Newberg ..... 206/44.12  
3,758,312 9/1973 Peters ..... 206/471 X  
4,099,612 7/1978 Hanson ..... 206/45.19  
4,307,803 12/1981 Johnson ..... 206/45.19  
4,415,084 11/1983 Hauser et al. .... 206/461  
4,453,629 6/1984 Goldberg ..... 206/471 X  
4,531,637 7/1985 Cusmano ..... 206/461  
4,669,610 6/1987 Lindsey et al. .... 206/320  
4,702,368 10/1987 Jones ..... 206/45.24

[57] **CLAIM**  
The ornamental design for a package, as shown and described.


**DESCRIPTION**

FIG. 1 is a front perspective view of a package showing my new design;  
FIG. 2 is a right side view thereof, the left side view being a mirror image thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a front perspective view of a second embodiment of a package showing my new design;  
FIG. 7 is a right side view thereof, the left side view being a mirror image thereof;  
FIG. 8 is a top plan view thereof;  
FIG. 9 is a bottom plan view thereof; and,  
FIG. 10 is a rear elevational view thereof.


**1 Claim, 2 Drawing Sheets**




*FIG. 1.*




*FIG. 2.*




*FIG. 3.*




*FIG. 5.*




*FIG. 4.*




*FIG. 6.*




*FIG. 7.*



*FIG. 8.*



*FIG. 10.*



*FIG. 9.*

