### **United States Patent** [19]

Peterson

[56]

#### HAND HELD TEST AND MEASUREMENT [54] DEVICE

- Inventor: Scott J. Peterson, Beaverton, Oreg. [75]
- Assignee: Tektronix, Inc., Wilsonville, Oreg. [73]

14 Years [\*\*] Term:

- Appl. No.: 29/096,589 [21]
- Filed: Nov. 16, 1998 [22]

Primary Examiner—Antoine Duval Davis Attorney, Agent, or Firm—Thomas F. Lenihan

US00D418437S

\*\*

Des. 418,437

**Jan. 4, 2000** 

**Patent Number:** 

**Date of Patent:** 

[11]

[45]

[57] CLAIM

The ornamental design for a hand held test and measurement device, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of the hand held test and measurement device showing in dotted lines an example of front panel knobs and buttons which may be used with the subject design;

LOC (7) Cl. ..... 10-04 [51] [52] Field of Search ...... D10/78; 324/73.1, [58] 324/115, 149, 151 R, 151 A, 156; 364/480-483;

379/21

### **References Cited**

#### U.S. PATENT DOCUMENTS

D. 355,138	2/1995	Hoofnagel et al D10/78
D. 361,288	8/1995	Chandwick et al D10/78
D. 399,774	10/1998	Noble D10/78
D. 400,114	10/1998	Beha D10/78
5,729,211	3/1998	Reichler et al
5,834,935	11/1998	Lyford 324/156
5,875,413	2/1999	Vinci 324/149

FIG. 2 is a front end elevation view of the instrument; FIG. 3 is a right side elevation view of the instrument; FIG. 4 is a top elevation view of the instrument showing in dotted lines an example of connectors which may be used with the subject design;

FIG. 5 is a bottom end elevation view of the instrument; FIG. 6 is a back side elevation view of the instrument; FIG. 7 is a perspective view of the hand held test and measurement device showing our new design; and, FIG. 8 is a front elevation view of the instrument. The dotted lines of the FIGS. 1–4 are used to depict various knobs and buttons for illustrative purposes only, and form no part of the inventive design.

### 1 Claim, 3 Drawing Sheets



## U.S. Patent Jan. 4, 2000 Sheet 1 of 3 Des. 418,437



# **FIG.8**

## U.S. Patent Jan. 4, 2000 Sheet 2 of 3 Des. 418,437







#### **U.S. Patent** Des. 418,437 Jan. 4, 2000 Sheet 3 of 3



### FIG.5



# FIG.6