



US00D418477S

# United States Patent [19]

Sunagawa et al.

[11] Patent Number: **Des. 418,477**

[45] Date of Patent: **\*\* Jan. 4, 2000**

[54] **STORAGE BATTERY**

[75] Inventors: **Yoshitaka Sunagawa; Yoshie Suzuki; Masayuki Ide; Toshihiro Inoue**, all of Aichi, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/100,086**

[22] Filed: **Feb. 3, 1999**

### [30] Foreign Application Priority Data

Aug. 20, 1998 [JP] Japan ..... 10-23961

[51] **LOC (7) Cl.** ..... **13-02**

[52] **U.S. Cl.** ..... **D13/104**

[58] **Field of Search** ..... D13/103, 104; 429/96-100, 159, 163, 176

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 228,503 10/1973 Burkett et al. .... D13/104

D. 299,227	1/1989	Grannen, III	.....	D13/104
D. 306,281	2/1990	Braswell	.....	D13/103
D. 373,755	9/1996	Chen	.....	D13/103
4,166,155	8/1979	Mao et al.	.....	429/82
5,419,983	5/1995	Suzuki et al.	.....	429/7

#### FOREIGN PATENT DOCUMENTS

1004510 3/1998 Japan .

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—SAIDMAN DesignLaw Group

### [57] CLAIM

The ornamental design for a storage battery, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of a storage battery showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a rear view thereof; and, FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2






FIG. 3



*FIG. 4*



*FIG. 5*




FIG. 6




FIG. 7

