



US00D418607S

United States Patent [19]

[11] **Patent Number: Des. 418,607**

Asselta

[45] **Date of Patent: ** Jan. 4, 2000**

[54] **VIAL**

| | | | | |
|------------|---------|-----------------|-------|-----------|
| D. 378,940 | 4/1997 | Baxter | | D24/224 |
| D. 388,176 | 12/1997 | Lodge | | D24/224 |
| 1,678,588 | 7/1928 | Gerson et al. | | 215/372 |
| 3,481,712 | 12/1969 | Berstein et al. | | 422/102 |
| 5,038,958 | 8/1991 | Dreier | | 422/102 X |
| 5,382,409 | 1/1995 | Baxter | | D24/224 |

[75] Inventor: **Roger Asselta**, Williamstown, N.J.

[73] Assignee: **Comar, Inc.**, Uena, N.J.

[**] Term: **14 Years**

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Eugene E. Renz, Jr., P.C.

[21] Appl. No.: **29/091,419**

[57] **CLAIM**

[22] Filed: **Jul. 28, 1998**

The ornamental design for a vial, as shown and described.

[51] **LOC (7) Cl.** **24-01**

[52] **U.S. Cl.** **D24/224**

DESCRIPTION

[58] **Field of Search** D24/224, 216;
422/99, 101, 104, 102; 435/296

FIG. 1 is a perspective view of the vial of my new design;
FIG. 2 is a top plan view of the vial shown in FIG. 1;
FIG. 3 is a side elevational view of the vial shown in FIG. 1; and,
FIG. 4 is a bottom plan view of the vial shown in FIG. 3.

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|--------|-------|---------|
| D. 304,997 | 12/1989 | Baxter | | D24/224 |
| D. 307,052 | 4/1990 | Baxter | | D24/224 |

1 Claim, 1 Drawing Sheet




FIG. 2





FIG. 1





FIG. 3

FIG. 4



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : Des.418,607

DATED : 1/4/2000

INVENTOR(S) : ASSELTA

It is certified that an error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

On the title page:

In section [73], Assignee, please change "Uena, N.J." to -Buena, N.J.-.

Signed and Sealed this
Twelfth Day of September, 2000

Attest:



Q. TODD DICKINSON

Attesting Officer

Director of Patents and Trademarks