



US00D418662S

# United States Patent [19] Bergmans

[11] **Patent Number: Des. 418,662**  
[45] **Date of Patent: \*\* Jan. 11, 2000**

[54] **CLOG**  
[75] Inventor: **Charles Bergmans**, Sprang Capelle,  
Netherlands  
[73] Assignee: **Wolky B.V.**, Nieuwegein, Netherlands  
[\*\*] Term: **14 Years**

D. 244,406 5/1977 Schonbrun et al. .... D2/919  
D. 310,289 9/1990 Farina ..... D2/926  
D. 404,899 2/1999 Von Conta ..... D2/957  
1,104,357 7/1914 Hassel ..... 36/11

[21] Appl. No.: **29/087,853**  
[22] Filed: **May 11, 1998**

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—S. Andoll  
*Attorney, Agent, or Firm*—Baker & Botts, L.L.P.

### [30] Foreign Application Priority Data

Jan. 9, 1998 [BX] Benelux TM/Des. Off. .... 73986-00

[51] **LOC (7) Cl.** ..... **02-04**  
[52] **U.S. Cl.** ..... **D2/926; D2/951; D2/954;**  
**D2/957; D2/960**  
[58] **Field of Search** ..... D2/896-899, 916-927,  
D2/947-960, 969, 972-975, 978; 36/7.1 R,  
7.2, 7.3, 7.5-7.7, 8.1-8.4, 10, 11, 11.5,  
50.1, 94, 96, 100-107, 110, 112-114, 155,  
160-163

[57] **CLAIM**  
The ornamental design for a clog, as shown and described.

### DESCRIPTION


FIG. 1 is a first perspective view of the clog of the present invention;  
FIG. 2 is a second perspective view of the clog of the present invention;  
FIG. 3 is a front view of the clog of the present invention;  
FIG. 4 is a back view of the clog of the present invention;  
FIG. 5 is a top view of the clog of the present invention; and,  
FIG. 6 is a bottom view of the clog of the present invention.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 170,768 11/1953 Preti ..... D2/922

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6