



US00D418729S

United States Patent [19] Snider

[11] Patent Number: **Des. 418,729**

[45] Date of Patent: **** Jan. 11, 2000**

[54] **SCREWDRIVER**

9609040 5/1997 Germany .

[75] Inventor: **Gregory Scott Snider**, Bel Air, Md.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce S. Shapiro; Dennis A. Dearing; John D. Del Ponti

[73] Assignee: **Black & Decker Inc.**, Newark, Del.

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/092,967**

The ornamental design for a screwdriver, as shown and described.

[22] Filed: **Aug. 31, 1998**

DESCRIPTION

[51] **LOC (7) Cl.** **08-05**

[52] **U.S. Cl.** **D8/61**

[58] **Field of Search** D8/61, 62; D19/53;
81/54, 57, 57.11, 177.1, 177.85; 451/358;
173/169–170, 216–217, 90–91

FIG. 1 is a perspective view of a first embodiment of a screwdriver showing my new design.

FIG. 2 is a bottom plan view of the first embodiment.

FIG. 3 is a top plan view of the first embodiment.

FIG. 4 is a left side elevational view of the first embodiment.

FIG. 5 is a front elevational view of the first embodiment.

FIG. 6 is a rear elevational view of the first embodiment.

FIG. 7 is a perspective view of a first embodiment in an alternate position of a screwdriver showing my new design.

FIG. 8 is a bottom plan view of the first embodiment in an alternate position.

FIG. 9 is a top plan view of the first embodiment in an alternate position.

FIG. 10 is a left side elevational view of the first embodiment in an alternate position.

FIG. 11 is a front elevational view of the first embodiment in an alternate position.

FIG. 12 is a rear elevational view of the first embodiment in an alternate position; and,

FIG. 13 is a perspective view of a second embodiment of my new design of FIGS. 1–2 wherein all other views are identical to the first embodiment except for the chuck portion.

The broken line showing of a bit holder is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**


U.S. PATENT DOCUMENTS

- D. 301,496 6/1989 Yonesawa et al. .
- D. 303,205 9/1989 Gierke et al. D8/61
- D. 304,419 11/1989 Henck et al. .
- D. 304,543 11/1989 Somers et al. D8/61
- D. 305,093 12/1989 Hoshino et al. D8/61
- D. 305,975 2/1990 Emmerling .
- D. 308,622 6/1990 Fushiya et al. D8/61
- D. 341,531 11/1993 Nagano et al. D8/61
- D. 344,439 2/1994 Izumisawa .
- D. 380,658 7/1997 Bruno et al. .
- D. 391,820 3/1998 Bunyea .
- 4,522,270 6/1985 Kishi .
- 4,772,765 9/1988 Markle et al. 200/1 V
- 4,912,349 3/1990 Chang .
- 5,251,706 10/1993 Evans 173/29
- 5,372,420 12/1994 Van Deursen et al. .

FOREIGN PATENT DOCUMENTS

- 9606432 2/1997 Germany .
- 9606436 3/1997 Germany .

1 Claim, 12 Drawing Sheets






FIG.1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG.12




FIG.13