



US00D418731S

United States Patent [19]

Rowlay et al.

[11] Patent Number: Des. 418,731
[45] Date of Patent: ** Jan. 11, 2000

[54] SCREWDRIVER FOR INTERCHANGEABLE BITS

[75] Inventors: **Stephen Rowlay**, Sheffield, United Kingdom; **Eric Ranieri**, Besancon, France

[73] Assignee: **The Stanley Works Limited**, United Kingdom

[**] Term: **14 Years**

[21] Appl. No.: **29/100,495**

[22] Filed: **Feb. 11, 1999**

[30] Foreign Application Priority Data

Aug. 12, 1998 [GB] United Kingdom 2076810

[51] LOC (7) Cl. **08-04**

[52] U.S. Cl. **D8/85**; D8/83

[58] Field of Search D8/82, 83, 84, D8/85, 86, 87, 107; 81/177.1, 436, 437, 438, 439, 440

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|---------|-----------------|-------|--------|
| D. 307,236 | 4/1990 | Cascio et al. | | D8/82 |
| D. 340,633 | 10/1993 | Badiali | | D8/85 |
| D. 382,188 | 8/1997 | Lin | | D8/85 |
| D. 383,660 | 9/1997 | Anderson | | D8/83 |
| D. 384,565 | 10/1997 | Lin | | D8/83 |
| D. 398,508 | 9/1998 | Thompson et al. | | D8/83 |
| 4,227,430 | 10/1980 | Jassone t al. | | 81/439 |
| 4,452,289 | 6/1994 | Smith | | 81/439 |
| 5,228,363 | 7/1993 | Corona et al. | | 81/439 |

Primary Examiner—Philip S. Hyder

Attorney, Agent, or Firm—Pepe & Hazard LLP

[57] CLAIM

The ornamental design for a screwdriver for interchangeable bits, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view of a screwdriver for interchangeable bits showing our new design;

FIG. 2 is an elevational view of the screwdriver for interchangeable bits rotated 180° from the position seen in FIG. 1; FIG. 3 is a similar elevational view of the screwdriver for interchangeable bits rotated 90° in a counter clockwise direction from the position seen in FIG. 1;

FIG. 4 is a similar elevational view of the screwdriver for interchangeable bits rotated 90° in a clockwise direction from the position seen in FIG. 1;

FIG. 5 is a top end view of the screwdriver for interchangeable bits;

FIG. 6 is a bottom end view of the screwdriver for interchangeable bits;


FIG. 7 is an elevational view of another embodiment of a screwdriver for interchangeable bits showing our new design; FIG. 8 is an elevational view of the screwdriver for interchangeable bits rotated 180° from the position seen in FIG. 7; FIG. 9 is a similar elevational view of the screwdriver for interchangeable bits rotated 90° in a counter clockwise direction from the position seen in FIG. 7;

FIG. 10 is a similar elevational view of the screwdriver for interchangeable bits rotated 90° in a clockwise direction from the position seen in FIG. 7;

FIG. 11 is a top end view of the screwdriver for interchangeable bits; and,

FIG. 12 is a bottom end view of the screwdriver for interchangeable bits.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12