



US00D418768S

United States Patent [19] Afilani

[11] **Patent Number:** Des. 418,768
[45] **Date of Patent:** ** Jan. 11, 2000

[54] **ENTITY LOCATOR UNIT**

[75] **Inventor:** Thomas L. Afilani, Jersey Shore, Pa.

[73] **Assignee:** DKL International, Inc., Wilmington, Del.

[**] **Term:** 14 Years

[21] **Appl. No.:** 29/092,378

[22] **Filed:** Aug. 18, 1998

[51] **LOC (7) Cl.** 10-05

[52] **U.S. Cl.** D10/104

[58] **Field of Search** D10/104, 106,
D10/116, 121; D14/95, 174; 340/540, 541,
545, 565, 566, 571, 572, 573

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 306,703 3/1990 Afilani .
D. 378,067 2/1997 Sirois et al. D10/104

D. 401,165 11/1998 Afilani .
D. 401,166 11/1998 Afilani .
D. 405,021 2/1999 Steele D10/104
D. 407,032 3/1999 McDonald D10/104

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Nixon & Vanderhye P.C.


[57] **CLAIM**

The ornamental design for a “entity locator unit”, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the entity locator unit of the present invention;
FIG. 2 is a side view of the entity locator unit of FIG., the opposite side being a mirror image;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a front view thereof; and,
FIG. 6 is a rear view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 3




Fig. 2




Fig. 4

Fig. 6




Fig. 5

