



US00D418807S

United States Patent [19]

Suzuki et al.

[11] Patent Number: **Des. 418,807**

[45] Date of Patent: **** Jan. 11, 2000**

[54] **STORAGE BATTERY**

[75] Inventors: **Yoshie Suzuki; Yoshitaka Sunagawa; Masayuki Ide; Toshihiro Inoue**, all of Aichi, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/100,124**

[22] Filed: **Feb. 4, 1999**

[30] **Foreign Application Priority Data**

Aug. 20, 1998 [JP] Japan 10-23962

[51] **LOC (7) Cl.** **13-02**

[52] **U.S. Cl.** **D13/104**

[58] **Field of Search** D13/103, 104; 429/96-100, 159, 163, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 228,503 10/1973 Burkett et al. D13/104

D. 346,584 5/1994 Taniguchi D13/119
D. 358,130 5/1995 Humphreys et al. D13/104
D. 373,755 9/1996 Chen D13/103
5,419,983 5/1995 Suzuki et al. 429/7

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Saidman DesignLaw Group

[57] **CLAIM**

The ornamental design for a storage battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and left side of a storage battery showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

