



US00D418863S

United States Patent [19] Matsumoto

[11] **Patent Number: Des. 418,863**
[45] **Date of Patent: ** Jan. 11, 2000**

[54] **SORTER FOR IMAGE OUTPUT APPARATUS**

[75] Inventor: **Hidero Matsumoto**, Yokohama, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/092,051**

[22] Filed: **Aug. 11, 1998**

[30] Foreign Application Priority Data

Feb. 19, 1998 [JP] Japan 10-4380

[51] **LOC (7) Cl.** **18-99**

[52] **U.S. Cl.** **D18/48**

[58] **Field of Search** D18/36-39, 46-49,
D18/56; 271/3.08, 3.14, 292, 9, 162; 399/16,
17, 361, 363-365, 403

[56] References Cited

U.S. PATENT DOCUMENTS

D. 281,699 12/1985 Fukuda D18/48

D. 284,086 6/1986 Goto D18/48
D. 295,758 5/1988 Kosako D18/48
D. 333,834 3/1993 Isomoto et al. D18/48
D. 379,635 6/1997 Shibata et al. D18/48

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a sorter for image output apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a sorter for image output apparatus showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

