



US00D419078S

United States Patent [19]
Bonnett

[11] **Patent Number: Des. 419,078**
[45] **Date of Patent: ** Jan. 18, 2000**

[54] **WATCH**

[75] Inventor: **Eric Bonnett**, Neuchatel, Switzerland

[73] Assignee: **Sara Lee Corporation**, Winston Salem, N.C.

[**] Term: **14 Years**

[21] Appl. No.: **29/100,533**

[22] Filed: **Feb. 12, 1999**

[51] **LOC (7) Cl.** **10-02**

[52] **U.S. Cl.** **D10/30**

[58] **Field of Search** D10/1-40, 122-132;
368/280-282, 276-277, 285

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 60,533	3/1922	Gruen .	
D. 66,901	3/1925	Sudarov	D10/31
D. 83,764	8/1931	Stegeman, Jr. .	
D. 108,735	3/1938	Merz .	
D. 108,739	3/1938	Merz .	
D. 114,788	5/1939	Freedman	D10/30
D. 241,630	9/1976	Burke et al.	D10/32
D. 250,634	12/1978	Porsche	D10/32
D. 251,056	2/1979	Perrin	D10/39
D. 262,949	2/1982	Perrin	D10/32
D. 267,548	1/1983	Wada	D10/38
D. 268,332	3/1983	Weil	D10/32
D. 268,485	4/1983	Claude	D10/38
D. 269,502	6/1983	Tanaka	D10/38
D. 270,243	8/1983	Porsche	D10/30
D. 271,379	11/1983	Malamoud	D10/38
D. 274,503	7/1984	Bulgari	D10/32
D. 278,605	4/1985	Didisheim	D10/30
D. 279,172	6/1985	Hysek	D10/32
D. 283,015	3/1986	Lederrey	D10/39
D. 284,170	6/1986	Kurimura	D10/32
D. 286,512	11/1986	Ichikawa	D10/38
D. 286,516	11/1986	Chodat	D11/3
D. 288,066	2/1987	Kanouï	D10/32
D. 289,502	4/1987	Woomer	D10/32
D. 299,811	2/1989	Tsukui	D10/32
D. 302,132	7/1989	Woomer	D10/39
D. 302,133	7/1989	Woomer	D10/39
D. 310,331	9/1990	Ratajski	D10/32

D. 310,337	9/1990	Ratajski	D10/39
D. 357,192	4/1995	Schneider	D10/32
D. 360,591	7/1995	Karan	D10/32
D. 366,216	1/1996	Bulgari	D10/39
D. 370,856	6/1996	Krieger	D10/32
D. 372,431	8/1996	Nguyen	D10/32
D. 379,769	6/1997	Schoepfer	D10/39
D. 381,587	7/1997	Oba	D10/32
D. 382,214	8/1997	Liao	D10/32
D. 383,074	9/1997	Hayashi	D10/32
D. 388,335	12/1997	Giardiello	D10/32
D. 390,479	2/1998	Brandys et al.	D10/39
D. 400,803	11/1998	Kennedy et al.	D10/30
D. 400,805	11/1998	Hanagata	D10/30
D. 401,159	11/1998	Sugita et al.	D10/30
D. 401,160	11/1998	Akagi	D10/30
D. 401,163	11/1998	Buchser	D10/32
D. 401,512	11/1998	Coquerel	D10/32
D. 401,514	11/1998	Coquerel	D10/39
D. 401,515	11/1998	Yida	D10/39
D. 401,862	12/1998	Sugita et al.	D10/30
D. 401,866	12/1998	Pandel	D10/32
D. 402,898	12/1998	Hanagata	D10/30
D. 403,248	12/1998	Magninat	D10/30
D. 403,252	12/1998	Hanagata	D10/38
D. 403,599	1/1999	Emmenegger	D10/39
4,825,427	4/1989	Wollman	368/282

OTHER PUBLICATIONS

National Jeweler—Jun./1973—p.45—Watches at top—center.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Rhodes & Mason, P.L.L.C.

[57] **CLAIM**

The ornamental design for watch, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of a watch showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;




FIG. 5 is a front end elevational view of my new design with the dash lines representing a wrist strap in a downward position; and,

FIG. 6 is a rear end elevational view with the dash lines representing a wrist strap in a downward position.

Dashed lines indicating watch hands and quarter-hour symbols, watch straps, an upper strap retention pin and a pull

crown represent environmental elements and form no part of the claimed design. The dashed lines showing the back edge of the watch in FIGS. 1, 3, 4, 5 and 6 represent an indefinite watch thickness; a specific watch thickness is not a claimed feature of this design.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6