



US00D419083S

United States Patent [19]
Shafie

[11] **Patent Number: Des. 419,083**
[45] **Date of Patent: ** Jan. 18, 2000**

[54] **CURRENT PROBE**

[75] Inventor: **Matt H. Shafie**, Casselberry, Fla.

[73] Assignee: **Bell Technologies Inc.**, Orlando, Fla.

[**] Term: **14 Years**

[21] Appl. No.: **29/097,561**

[22] Filed: **Dec. 9, 1998**

[51] **LOC (7) Cl.** **10-04**

[52] **U.S. Cl.** **D10/79**

[58] **Field of Search** D10/79; 324/126,
324/127; 336/175, 212; 338/32 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 254,536 3/1980 Davis et al. D10/78
- D. 358,349 5/1995 Kuramoto D10/79
- D. 401,172 11/1998 Kuramoto D10/79

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Stein, Schifino & Van Der Wall


[57] **CLAIM**

The ornamental design of a current probe, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a current probe showing the first embodiment of my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top elevational view thereof; FIG. 5 is a bottom elevational view thereof; FIG. 6 is a left elevational view thereof; FIG. 7 is a right elevational view thereof; FIG. 8 is a perspective view of a current probe showing the second embodiment of my new design; FIG. 9 is a front elevational view thereof; FIG. 10 is a rear elevational view thereof; FIG. 11 is a top elevational view thereof; FIG. 12 is a bottom elevational view thereof; FIG. 13 is a left elevational view thereof; and, FIG. 14 is a right elevational view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3



FIG. 4




FIG. 6




FIG. 2



FIG. 7




FIG. 5




FIG. 8




FIG. 10




FIG. 11




FIG. 13




FIG. 9




FIG. 14




FIG. 12