



US00D419119S

United States Patent [19]
Beauguitte et al.

[11] Patent Number: Des. 419,119
[45] Date of Patent: ** Jan. 18, 2000

[54] TIRE TREAD

[75] Inventors: Herve Marcel Henri Beauguitte,
Colmar-Berg, Luxembourg; Michel
Pierre Charles Robert, Sibret, Belgium

[73] Assignee: The Goodyear Tire & Rubber
Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 29/100,223

[22] Filed: Feb. 8, 1999

[51] LOC (7) Cl. 12-15
[52] U.S. Cl. D12/147
[58] Field of Search D12/136-152;
152/209.1, 209.8, 209.9, 209.11, 209.13,
209.16, 209.28, 901, 902, 903

[56] References Cited

U.S. PATENT DOCUMENTS

D. 268,103	3/1983	Corner		D12/147
D. 277,092	1/1985	Nagayasu		D12/146
D. 279,087	6/1985	Lassan et al.		D12/147
D. 288,192	2/1987	Nakatani		D12/147
D. 309,592	7/1990	Shomura		D12/147
D. 310,192	8/1990	Hayama		D12/147
D. 315,124	3/1991	Baus		D12/142
D. 316,065	4/1991	Tsuda et al.		D12/142
D. 328,578	8/1992	Cormier et al.		D12/146
D. 329,031	9/1992	Lassan		D12/146
D. 333,115	2/1993	Trussardi		D12/136
D. 336,270	6/1993	Graas et al.		D12/147
D. 336,275	6/1993	Montag et al.		D12/147
D. 342,705	12/1993	Graas		D12/141
D. 344,049	2/1994	Brown et al.		D12/147
D. 350,514	9/1994	Attinello et al.		D12/147
D. 350,924	9/1994	Maxwell et al.		D12/146
D. 365,061	12/1995	Lassan et al.		D12/147
D. 379,447	5/1997	Labbe et al.		D12/147
D. 379,785	6/1997	Galante et al.		D12/146
D. 388,034	12/1997	Le et al.		D12/146
D. 388,036	12/1997	Labbe et al.		D12/147
D. 390,173	2/1998	Aoki		D12/147
D. 390,818	2/1998	De Barsy et al.		D12/147

D. 397,652	9/1998	Le et al.		D12/146
D. 397,970	9/1998	Le et al.		D12/147
D. 399,798	10/1998	Grosskopf et al.		D12/147
4,282,915	8/1981	Fontaine		152/209 R
4,412,575	11/1983	Maeda et al.		152/209 R
4,619,300	10/1986	Tokunaga et al.		152/209 R
4,815,512	3/1989	Gerresheim et al.		152/209 R
5,238,038	8/1993	Glover et al.		152/209 R
5,256,221	10/1993	Trabandt		152/209 R
5,269,357	12/1993	Killian		152/209 R
5,454,411	10/1995	Weyrich et al.		152/209 D
5,538,060	7/1996	Van Der Meer et al.		152/209 R
5,580,404	12/1996	Hitzky		152/209 R

OTHER PUBLICATIONS

Goodyear S4S Radial Tire, Goodyear Passenger Tire Catalog #863800, Jan. 1996.
Cordovan Wild Spirit Radial RVT Tire, 1997 Tread Design Guide, p. 88. 2/2, Jan. 1997.
Delta Mud Track Tire, 1997 Tread Design Guide, p. 90. 4/5, Jan. 1997.
Laramie Trailcutter A/T Tire, 1997 Tread Design Guide, p. 105. 1/1, Jan. 1997.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski


[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4