



US00D419123S

# United States Patent [19] Okuda

[11] **Patent Number: Des. 419,123**  
[45] **Date of Patent: \*\* Jan. 18, 2000**

[54] **BICYCLE SPEEDOMETER BRACKET  
ATTACHMENT BAR**

586,678 7/1897 Walsh ..... 74/551.8  
2,100,012 11/1937 Mankki ..... 74/551.1  
5,239,884 8/1993 Norsen ..... 74/551.8

[75] Inventor: **Youji Okuda**, Tondabayashi, Japan

[73] Assignee: **Cat Eye Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/103,761**

[22] Filed: **Apr. 21, 1999**

[30] **Foreign Application Priority Data**

Nov. 6, 1998 [JP] Japan ..... 10-32158

[51] **LOC (7) Cl.** ..... **12-16**

[52] **U.S. Cl.** ..... **D12/178; D12/114**

[58] **Field of Search** ..... D12/114, 178;  
74/551.8, 551.1; 180/315; 280/288.4

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 217,043 3/1970 Chaumont ..... D12/178  
D. 273,775 5/1984 Aker et al. .... D12/114  
D. 301,027 5/1989 Borromeo ..... D12/178  
D. 372,893 8/1996 Harris ..... D12/178

*Primary Examiner*—Pamela Burgess  
*Attorney, Agent, or Firm*—Olson & Hierl, Ltd.

[57] **CLAIM**

The ornamental design for a bicycle speedometer bracket attachment bar, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a bicycle speedometer bracket attachment bar, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a right side view thereof, with the view from the left side being a mirror image thereof; and,  
FIG. 7 is a front perspective view thereof, the claimed article being attached to a bicycle handlebar which is shown in broken lines for illustrative purposes only, forming no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

