



US00D419132S

# United States Patent [19]

Suzuki et al.

[11] Patent Number: **Des. 419,132**

[45] Date of Patent: **\*\* Jan. 18, 2000**

[54] **STORAGE BATTERY**

[75] Inventors: **Yoshie Suzuki; Yoshitaka Sunagawa; Masayuki Ide; Toshihiro Inoue**, all of Aichi, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/100,250**

[22] Filed: **Feb. 8, 1999**

[30] **Foreign Application Priority Data**

Aug. 20, 1998 [JP] Japan ..... 10-23963

[51] **LOC (7) Cl.** ..... **13-02**

[52] **U.S. Cl.** ..... **D13/104**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 228,503 10/1973 Burkett et al. .... D13/104

D. 346,584 5/1994 Taniguchi ..... D13/119  
D. 358,130 5/1995 Humphreys et al. .... D13/104  
D. 373,755 9/1996 Chen ..... D13/103  
5,419,983 5/1995 Suzuki et al. .... 429/7

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Saidman DesignLaw Group


[57] **CLAIM**

The ornamental design for a storage battery, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of the top, front and left side of a storage battery showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a rear view thereof; and,  
FIG. 7 is a bottom view thereof.


**1 Claim, 3 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

