



US00D419196S

United States Patent [19]
Lewis et al.

[11] **Patent Number: Des. 419,196**
[45] **Date of Patent: ** Jan. 18, 2000**

[54] **FUEL TANK INLET LOCATION INDICATOR**

[76] Inventors: **Douglas B. K. Lewis; Beverly C Lewis**, both of 6636 Twining Way, Citrus Heights, Calif. 95621

[**] Term: **14 Years**

[21] Appl. No.: **29/097,312**

[22] Filed: **Dec. 3, 1998**

[51] **LOC (7) Cl.** **19-08**

[52] **U.S. Cl.** **D20/35; D20/23**

[58] **Field of Search** D20/10, 22, 23, D20/29, 35, 45; 40/538, 299.01, 318, 643, 360, 625, 630, 638

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 234,232 1/1975 Byrum D20/23
5,092,806 3/1992 Brown 40/538 X

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard

[57] **CLAIM**

The ornamental design for a fuel tank inlet location indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational exploded view of the fuel tank inlet location indicator of the present invention;
FIG. 2 is a back elevational exploded view of the fuel tank inlet location indicator of FIG. 1;
FIG. 3 is a left side elevational exploded view of the fuel tank inlet location indicator of FIG. 1;
FIG. 4 is a right side elevational exploded view of the fuel tank inlet location indicator of FIG. 1;
FIG. 5 is a top plan exploded view of the fuel tank inlet location indicator of FIG. 1;
FIG. 6 is a bottom plan exploded view of the fuel tank inlet location indicator of FIG. 1; and,
FIG. 7 is a front elevational view of the fuel tank inlet location indicator of FIG. 1.

The broken lines showing alternate locations in FIG. 7 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6



Fig. 7

