



US00D419302S

United States Patent [19]

Hardy et al.

[11] Patent Number: Des. 419,302

[45] Date of Patent: ** Jan. 25, 2000

[54] MESH BASKET

[75] Inventors: Christopher Hardy, Springfield;
Richard Kromer, Morton Grove, both
of Ill.

[73] Assignee: Design Ideas, Ltd., Springfield, Ill.

[**] Term: 14 Years

[21] Appl. No.: 29/092,939

[22] Filed: Aug. 31, 1998

[51] LOC (7) Cl. 03-01

[52] U.S. Cl. D3/306; D3/304; D3/307;
D3/309; D3/312; D3/314; D19/75; D19/90

[58] Field of Search D3/201, 304, 306,
D3/307, 309, 312, 314; 220/485, 494, 586,
657; D19/75, 90

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------|----------|
| Re. 16,431 | 9/1926 | Kratzer | 220/586 |
| D. 152,141 | 12/1948 | Crawford et al. | . |
| D. 194,513 | 2/1963 | Sparling | . |
| D. 212,074 | 8/1968 | Woodruff et al. | . |
| D. 222,238 | 10/1971 | Rehrig | . |
| D. 383,283 | 9/1997 | Hankins, III | D3/306 |
| D. 393,766 | 4/1998 | Mazzola et al. | D3/306 X |
| 920,313 | 5/1909 | Franklin | . |
| 1,098,053 | 5/1914 | Porter | 220/586 |
| 1,382,592 | 6/1921 | Ames | 220/586 |
| 1,384,755 | 7/1921 | Hall | . |
| 1,840,561 | 1/1932 | Miller | 220/586 |
| 2,507,781 | 4/1950 | Erickson | . |
| 2,658,444 | 10/1953 | Wheeler | . |
| 2,706,064 | 4/1955 | Vitols | . |
| 2,721,671 | 10/1955 | Averill | . |
| 2,768,022 | 10/1956 | Pope | 220/586 |
| 2,993,615 | 7/1961 | Bruce | . |
| 3,250,430 | 5/1966 | Cella | . |
| 3,935,958 | 2/1976 | Frangos | . |
| 4,339,048 | 7/1982 | McMillen et al. | 220/586 |
| 5,305,686 | 4/1994 | Svensson | 220/586 |

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A Weingart
Attorney, Agent, or Firm—SAIDMAN DesignLaw Group

[57] CLAIM

The ornamental design for a mesh basket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a mesh basket showing our new design;
 FIG. 2 is a front view thereof, the rear view being substantially identical;
 FIG. 3 is a right side view thereof, the left side view being substantially identical;
 FIG. 4 is a top view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a perspective view of a second embodiment of our new design;
 FIG. 7 is a front view thereof, the rear view being substantially identical;
 FIG. 8 is a left side view thereof, the right side view being substantially identical;
 FIG. 9 is a top view thereof;
 FIG. 10 is a bottom view thereof;
 FIG. 11 is a perspective view of a third embodiment of our new design;
 FIG. 12 is a perspective view of a fourth embodiment of our new design;
 FIG. 13 is a perspective view of a fifth embodiment of our new design;
 FIG. 14 is a top view thereof;
 FIG. 15 is a bottom view thereof;
 FIG. 16 is a left side view thereof, the right side being substantially identical;
 FIG. 17 is front view thereof, the rear view being substantially identical;
 FIG. 18 is a perspective view of a sixth embodiment of our new design; and,
 FIG. 19 is a perspective view of a seventh embodiment of our new design.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

