



US00D419554S

**United States Patent** [19]  
**Gibson**

[11] **Patent Number: Des. 419,554**

[45] **Date of Patent: \*\* Jan. 25, 2000**

[54] **TRANSMITTER**

D. 303,223 9/1989 Issa ..... D14/155 X  
D. 329,431 9/1992 Wood ..... D14/188 X  
D. 381,922 8/1997 Casperson ..... D14/155 X

[75] Inventor: **J. Scott Gibson**, Gleneagle, Canada

[73] Assignee: **Square Peg Communications Inc.**,  
Kanata, Canada

*Primary Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Neil Teitelbaum & Associates

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/077,481**

The ornamental design for a transmitter, as shown.

[22] Filed: **Oct. 2, 1997**

**DESCRIPTION**

[51] **LOC (7) Cl.** ..... **14-03**

[52] **U.S. Cl.** ..... **D14/155; D10/104; D21/603;**  
D11/219

FIG. 1 is an isometric view;

FIG. 2 is a top plan view;

[58] **Field of Search** ..... D10/104, 106,  
D10/116, 121; D11/200, 219; D14/155,  
158, 217, 299, 188-198; D21/603; 340/539,  
540, 571; 446/153

FIG. 3 is a side view;

FIG. 4 is a front view;

FIG. 5 is a bottom view;

FIG. 6 is an opposite side view; and,


FIG. 7 is a rear view.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 264,968 6/1982 Iwata ..... D14/155

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7