



US00D419652S

United States Patent [19]

[11] Patent Number: Des. 419,652

Hall et al.

[45] Date of Patent: ** Jan. 25, 2000

[54] **STAND-PIPE ASSEMBLY UNIT FOR A CONTAINMENT BASIN WHICH HOLDS A SORBENT MATERIAL CONTAINING CARTRIDGE AND WHICH CAN HOLD A SILT-COLLECTING SOCK OVER ITS TOP TRAY**

[75] Inventors: **Richard H. Hall; Andrew J. Stephenson**, both of Midland, Mich.; **Nicolo Flor**, Oakville, Canada

[73] Assignee: **Imbibitive Technologies Corp.**, Wilmington, Del.

[**] Term: **14 Years**

[21] Appl. No.: **29/076,767**

[22] Filed: **Sep. 23, 1997**

[51] **LOC (7) Cl.** **23-01**

[52] **U.S. Cl.** **D23/259; D23/261**

[58] **Field of Search** D23/259, 261, D23/365, 355, 209, 200; 206/204, 205, 213.1; D9/414, 307; 210/498; 96/147, 148, 151, 118, 119

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 286,319 10/1986 Mathis D23/259
5,391,295 2/1995 Wilcox et al. 210/165

OTHER PUBLICATIONS

Imbibitive Technologies Corp., "Gravity Flow Drain," 1995.

(List continued on next page.)

Primary Examiner—Lisa Lichtenstein

Attorney, Agent, or Firm—Christopher John Rudy

[57] **CLAIM**

The ornamental design for a stand-pipe assembly unit for a containment basin which holds a sorbent material containing cartridge, and which can hold a silt-collecting sock over its top tray, as shown and described.

DESCRIPTION

FIG. 1 is an exploded top, perspective view of a stand pipe assembly unit for a containment basin which holds a sorbent

material containing cartridge and which can hold a silt-collecting sock over its top tray showing our new design;

FIG. 2 is a top view of the stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt-collecting sock over its top tray thereof;

FIG. 3 is a front side view of the stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt-collecting sock over its top tray on a greatly reduced scale, the back and sides appearing essentially the same;

FIG. 4 is a top view of the stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt-collecting sock over its top tray with the top tray removed for clarity of illustration;

FIG. 5 is a bottom view of stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt-collecting sock over its top tray and

FIG. 6 is a cross-section view of the stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt collecting sock over its top tray on a reduced scale taken along line 6—6 in FIG. 2.

FIG. 7 is a top view of the cartridge portion of the stand pipe assembly unit for a containment basin which holds a sorbent material containing cartridge and which can hold a silt collecting sock over its top tray, shown separately for clarity for illustration.


FIG. 8 is a front side view of FIG. 7, the back appearing essentially the same;

FIG. 9 is a right side view of FIG. 7, the left appearing essentially the same; and,

FIG. 10 is a bottom view of FIG. 7.

The broken line showing of environmental structure in FIGS. 1, 8 and 9 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



OTHER PUBLICATIONS

Imbititive Technologies Corp., "Imbiber Disk Housing," 1995.

Imbititive Technologies Corp., "Imbiber Disk," 1995.

Imbititive Technologies America, "Imtech U.K. Ltd. installs 1st ever (Class II) Imtech Containment Unit (I.C.U.) London Electricity/National Grid Substation, Hackney (London, U.K.) Sep. 25, 1996," reference itself published ca. Dec. 1996.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 8




Fig. 6




Fig. 9




Fig. 7




Fig. 10