



US00D419697S

United States Patent [19] Kroesbergen

[11] **Patent Number:** **Des. 419,697**
[45] **Date of Patent:** **** Jan. 25, 2000**

[54] **COMBINED RESILIENT SAFETY TILE**

3,548,559 12/1970 Levine 52/782.1

[76] **Inventor:** **Gary John Kroesbergen**, 76 Olympus
Crt #15, Sarnia, Ontario, Canada, N7S
4S7

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Riches, McKenzie & Herbert

[**] **Term:** **14 Years**

[57] **CLAIM**

I claim the ornamental design for a combined resilient safety
tile, as shown and described.

[21] **Appl. No.:** **29/101,770**

DESCRIPTION

[22] **Filed:** **Mar. 11, 1999**

[51] **LOC (7) Cl.** **25-01**

[52] **U.S. Cl.** **D25/138; D25/119**

[58] **Field of Search** 52/506.03, 506.04,
52/506.05, 578, 782.1, 630; D25/138

FIG. 1—is a prospective view of a combined resilient safety
tile broken on one side and the top disclosing indefinite
length and width showing my new design;

FIG. 2—is a top view thereof;

FIG. 3—is a side elevational view thereof;

FIG. 4—is a elevational view of the other side;

FIG. 5—is a bottom view;

FIG. 6—is an end elevational view; and,


FIG. 7—is an end elevational view of the opposite end.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 350,613	9/1994	Fahy, Jr.		D25/138
2,476,499	7/1949	Lowell		52/630
3,452,959	7/1969	Ishikawa		52/578

1 Claim, 3 Drawing Sheets






FIG.1.




FIG. 2.




FIG. 3.




FIG. 4.

FIG. 5.




FIG. 6.



FIG. 7.

