



US00D419770S

United States Patent [19] Mogil

[11] Patent Number: **Des. 419,770**

[45] Date of Patent: **** Feb. 1, 2000**

[54] **BAG**

[75] Inventor: **Melvin S. Mogil**, Toronto, Canada

[73] Assignee: **California Innovations Inc.**,
Willowdale, Canada

[**] Term: **14 Years**

[21] Appl. No.: **29/091,164**

[22] Filed: **Jul. 24, 1998**

[51] **LOC (7) Cl.** **03-01**

[52] **U.S. Cl.** **D3/283; D3/276; D3/289**

[58] **Field of Search** **D3/273, 276, 283,**
D3/285, 286, 287, 289, 301; D7/607; 190/100,
101, 102, 110, 112, 113, 114, 115; 206/315.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 316,012	4/1991	Christopher	D3/283
D. 352,827	11/1994	Schildkraut	D3/283
D. 355,568	2/1995	Paulin et al.	D7/607
D. 389,704	1/1998	Yousko et al.	D3/287
D. 394,552	5/1998	Melk	D3/287

Primary Examiner—Philip S. Hyder

Attorney, Agent, or Firm—Nikaido, Marmelstein, Murray &
Oram LLP

[57] **CLAIM**

The ornamental design for a bag, as shown and described.

DESCRIPTION

FIG. 1 is a three quarter view of the design;

FIG. 2 is a three quarter view of the design taken from a position opposite to that of FIG. 1;

FIG. 3 is a top view of the design;

FIG. 4 is a bottom view of the design;

FIG. 5 is a front view of the design;

FIG. 6 is a rear view of the design;

FIG. 7 is a left hand side view of the design;

FIG. 8 is a right hand side view of the design;

FIG. 9 is a three quarter view of a modified embodiment of the design with interlineations to indicate color, shade or texture;

FIG. 10 is a three quarter view of the modified embodiment of FIG. 9, viewed from a position opposite to that of FIG. 9;

FIG. 11 is a front view of the modified embodiment of FIG. 9;

FIG. 12 is a rear view of the modified embodiment of FIG. 9;

FIG. 13 is a left hand side view of the modified embodiment of FIG. 9;

FIG. 14 is a right hand side view of the modified embodiment of FIG. 9;

FIG. 15 is a three quarter view of another modified embodiment of the design with cross-hatching to indicate color, shade or texture;


FIG. 16 is a front view of the modified embodiment of FIG. 15;

FIG. 17 is a rear view of the modified embodiment of FIG. 15; and,

FIG. 18 is a side view of the modified embodiment of FIG. 15.

The top and bottom views of the modified embodiments of FIGS. 9 and 15 are as shown in FIGS. 3 and 4. The right hand side view of the embodiment of FIG. 9 is the same as FIG. 8.

1 Claim, 18 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8



Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18