



US00D419926S

**United States Patent** [19]  
**Sidhom**

[11] **Patent Number: Des. 419,926**

[45] **Date of Patent: \*\* Feb. 1, 2000**

[54] **TIRE TREAD**

[75] Inventor: **Sameh S. Sidhom**, Davenport, Iowa

[73] Assignee: **Bandag Incorporated**, Muscatine, Iowa

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/097,310**

[22] Filed: **Dec. 3, 1998**

[51] **LOC (7) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/146**

[58] **Field of Search** ..... D12/136-152;  
152/209.1, 209.8, 209.9, 209.11, 209.12,  
209.13, 209.16, 209.18, 209.19, 209.21,  
209.28, 900, 901, 902, 903

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 238,060	12/1975	Sakaki	.....	D12/148
D. 262,874	2/1982	Mendiola et al.	.....	D12/148
D. 373,749	9/1996	Sugimoto	.....	D12/147
4,320,790	3/1982	Corner et al.	.....	152/902
5,301,727	4/1994	Inoue	.....	152/902

**OTHER PUBLICATIONS**

Brigadier Turbo-Plus Radial GT Tire, Tread Design Guide, p. 16, Jan. 1997.

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Foley & Lardner

[57] **CLAIM**

I claim the ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a fragmentary perspective view of a tire tread, illustrating the novel design;

FIG. 2 is an enlarged, fragmentary top plan view of the tire tread illustrated in FIG. 1;

FIG. 3 is an enlarged, fragmentary side view of the tire tread illustrated in FIG. 1, with the opposite side view of the tire tread being identical to that shown in FIG. 3;

FIG. 4 is an enlarged cross-sectional view of the tire tread illustrated in FIG. 1, taken generally along line 4—4 of FIG. 2;

FIG. 5 is a fragmentary cross-sectional view of the tire tread illustrated in FIG. 1, taken generally along line 5—5 of FIG. 2;

FIG. 6 is a fragmentary cross-sectional view of the tire tread illustrated in FIG. 1, taken generally along line 6—6 of FIG. 2;


FIG. 7 is a fragmentary perspective view of a second embodiment of the tire tread, illustrating the novel design;

FIG. 8 is an enlarged, fragmentary top plan view of the tire tread illustrated in FIG. 7; and,

FIG. 9 is a fragmentary cross-sectional view of the tire tread illustrated in FIG. 7, taken generally along line 9—9 of FIG. 8.

The broken line showing of sipes on the tread and shoulder block surfaces of the claimed design is for illustrative purposes only and forms no part of the claimed design. The irregular outer edges of the design shown in FIGS. 1-3 indicate that the tire tread is of indeterminate length.

**1 Claim, 4 Drawing Sheets**






FIG. 1

FIG. 2




FIG. 3




FIG. 4



FIG. 5





FIG. 6






FIG. 7

FIG. 8




FIG. 9

