



US00D419964S

United States Patent [19]

Holce et al.

[11] **Patent Number: Des. 419,964**

[45] **Date of Patent: ** Feb. 1, 2000**

[54] **COMBINATION CURRENT SENSOR RELAY HOUSING**

[76] Inventors: **Kent J. Holce**, 14000 SW. Stampfer Rd., Lake Oswego, Oreg. 97034; **Frank Morey**, 15845 Spring Tooth La., Sherwood, Oreg. 97140

[**] Term: **14 Years**

[21] Appl. No.: **29/100,812**

[22] Filed: **Feb. 19, 1999**

[51] **LOC (7) Cl. 13-03**

[52] **U.S. Cl. D13/159**

[58] **Field of Search D13/159, 158, D13/162; 335/202; 361/690, 724, 819**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 249,883 10/1978 Collins D13/159

D. 301,331 5/1989 Rhodin D13/159
D. 323,815 2/1992 Boutellier D13/159
D. 335,488 5/1993 Suzuki et al. D13/159
D. 354,945 1/1995 Dellavecchia et al. D13/159

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Kevin L. Russell; Chernoff, Vilhauer, McClung & Stenzel, LLP


[57] **CLAIM**

The novel and ornamental design for a combination current sensor relay housing, as shown.

DESCRIPTION

FIG. 1 is a perspective view;
FIG. 2 is a top view;
FIG. 3 is a front elevational view;
FIG. 4 is a left side elevational view;
FIG. 5 is a right side elevational view; and,
FIG. 6 is a rear side elevational view.

1 Claim, 2 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6