



US00D419978S

United States Patent [19] Mah

[11] **Patent Number: Des. 419,978**

[45] **Date of Patent: ** Feb. 1, 2000**

[54] **ELECTRONIC SUPPORT HOUSING**

3,908,942	9/1975	Keith et al.	248/158
4,068,961	1/1978	Ebner et al.	403/55
4,500,060	2/1985	Anderson et al.	248/349

[76] Inventor: **Pat Y. Mah**, Site 11, Block 12, 8G, Whampoa Garden, Kowloon, The Hong Kong Special Administrative Region of the People's Republic of China

Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Curtis L. Harrington

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/095,848**

The ornamental design for an electronic support housing, as shown and described.

[22] Filed: **Oct. 30, 1998**

DESCRIPTION

[51] **LOC (7) Cl.** **14-02**

[52] **U.S. Cl.** **D14/114; D14/299**

[58] **Field of Search** D14/100, 114, D14/299; D6/495, 449, 491; 248/917-924, 158, 181, 349; D13/184, 199



FIG. 1 is a top view of an electronic support housing;
FIG. 2 is a bottom view;
FIG. 3 is a right side view;
FIG. 4 is a left side view;
FIG. 5 is a front view; and,
FIG. 6 is a rear view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 362,244 9/1995 Takemasa D14/114

1 Claim, 2 Drawing Sheets






Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 6




Fig. 5