



US00D420025S

# United States Patent [19] Gabriele

[11] **Patent Number: Des. 420,025**

[45] **Date of Patent: \*\* Feb. 1, 2000**

[54] **NOZZLE APPARATUS**

[75] Inventor: **Joseph Anthony Gabriele**, Whippany, N.J.

[73] Assignee: **SmithKline Beecham Corporation**, Philadelphia, Pa.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/087,429**

[22] Filed: **May 1, 1998**

[51] **LOC (7) Cl.** ..... **15-09**

[52] **U.S. Cl.** ..... **D15/146**

[58] **Field of Search** ..... D15/145, 146;  
222/575, 252, 167, 410, 413, DIG. 1, 100,  
95, 106, 132, 143, 181.2

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,645,520 2/1972 Acre et al. .... 239/602 X

*Primary Examiner*—Antoine Duval Davis

*Attorney, Agent, or Firm*—Frommer Lawrence & Haug, LLP; Dennis M. Smid

[57] **CLAIM**

The ornamental design for a nozzle apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention.

FIG. 2 is a top plan view of the nozzle apparatus of FIG. 1.

FIG. 3 is a side elevational view of the nozzle apparatus of FIG. 1.

FIG. 4 is a bottom plan view of the nozzle apparatus of FIG. 1.

FIG. 5 is a front perspective view of a preferred embodiment of an inner tube member of the nozzle apparatus of FIG. 1. FIG. 6 is a top plan view of the inner tube member of FIG. 5.

FIG. 7 is a front elevational view of the inner tube member of FIG. 5.

FIG. 8 is a bottom plan view of the inner tube member of FIG. 5.

FIG. 9 is a front perspective view of another preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention.

FIG. 10 is a top plan view of the nozzle apparatus of FIG. 9.

FIG. 11 is a front elevational view of the nozzle apparatus of FIG. 9.

FIG. 12 is a bottom plan view of the nozzle apparatus of FIG. 9.

FIG. 13 is a front perspective view of another preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention.

FIG. 14 is a top plan view of the nozzle apparatus of FIG. 13.

FIG. 15 is a front perspective view of another preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention.

FIG. 16 is a top plan view of the nozzle apparatus of FIG. 15.


FIG. 17 is a front perspective view of another preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention.

FIG. 18 is a top plan view of the nozzle apparatus of FIG. 17.

FIG. 19 is a front perspective view of another preferred embodiment of a nozzle apparatus in accordance with the teachings of the present invention; and,

FIG. 20 is a top plan view of the nozzle apparatus of FIG. 19.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7





FIG. 8






FIG. 9




FIG. 10

FIG. 11







FIG. 12







*FIG. 13*


*FIG. 14*



*FIG. 15*


*FIG. 16*





*FIG. 17*

*FIG. 18*



*FIG. 19*

*FIG. 20*

