



US00D420215S

**United States Patent** [19]  
**MacDonald**

[11] **Patent Number: Des. 420,215**

[45] **Date of Patent: \*\* Feb. 8, 2000**

[54] **KEY RING HOLDER**

[76] Inventor: **Sumner MacDonald**, 44 Ballou Blvd.,  
Bristol, R.I. 02809

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/105,379**

[22] Filed: **May 24, 1999**

[51] **LOC (7) Cl.** ..... **03-01**

[52] **U.S. Cl.** ..... **D3/207**

[58] **Field of Search** ..... D3/207-211; 70/456 R,  
70/459, 456 B; 24/37, 37.1

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 271,443	11/1983	MacDonald	.....	D3/207
D. 321,984	12/1991	Stillwagon	.....	D3/207
D. 360,750	8/1995	Stillwagon	.....	D3/207
D. 394,345	5/1998	Marguerie	.....	D3/207

*Primary Examiner*—Ralf Seifert  
*Attorney, Agent, or Firm*—Robert J. Doherty


[57] **CLAIM**

The ornamental design for a key ring holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a key ring holder showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken line showing of key rings in FIG. 1 is for illustrative purposes and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7