



US00D420282S

United States Patent [19]

Jones

[11] Patent Number: Des. 420,282

[45] Date of Patent: ** Feb. 8, 2000

[54] SAFETY THUMB TACK WITH RETRACTABLE HOUSING

[76] Inventor: David Jones, 486 Chamberlain St., East Meadow, N.Y. 11554

[**] Term: 14 Years

[21] Appl. No.: 29/073,596

[22] Filed: Jul. 11, 1997

[51] LOC (7) Cl. 08-08

[52] U.S. Cl. D8/391

[58] Field of Search D8/391, 387; 411/480, 411/484, 486, 347, 352, 353, 107-108

[56] References Cited

U.S. PATENT DOCUMENTS

302,910	8/1884	Holmes	411/347 X
3,146,003	8/1964	DeRonde	411/347
3,894,467	7/1975	Brescia	411/347

OTHER PUBLICATIONS

Sterling Instrument, rounded thread, located at top of page, Jun. 1981.

Sweets catalog, p. 2 rivet -item A located at left of page, Jan. 1969.

Sweets catalog, p. FAS/st1, rivet-item A located at bottom of page, Jan. 1969.

Sweets Catalog, p. 10, connecting thread-item A located at left of page, Jan. 1969.

Sweets Catalog, p. 9, lug, item A located at left of page, Jan. 1969.

Primary Examiner—Holly Baynham

[57] CLAIM

The ornamental design for a safety thumb tack with retractable housing, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the safety thumb tack with retractable housing showing my new design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6