



US00D420492S

United States Patent [19]
Tannenbaum

[11] **Patent Number: Des. 420,492**

[45] **Date of Patent: ** Feb. 15, 2000**

[54] **DENIM RIDING CHAPS**

[76] Inventor: **Gail Tannenbaum**, 2208 Allen St., Allentown, Pa. 18104

[**] Term: **14 Years**

[21] Appl. No.: **29/095,431**

[22] Filed: **Oct. 23, 1998**

[51] **LOC (7) Cl.** **02-02**

[52] **U.S. Cl.** **D2/860; D2/742; D29/100**

[58] **Field of Search** D2/860, 861, 864, D2/742, 901, 983; D29/100, 120; 36/2 R; 2/2.5, 22, 23, 46, 48, 49.1, 49.2, 50, 227, 911, 914, 919

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 201,861	8/1965	Cummins	D29/120
D. 321,969	12/1991	Upthegrove, Jr. et al.	D2/860
D. 344,620	3/1994	Lavell	D2/742
954,132	4/1910	Prendergast	2/22
2,119,602	7/1938	Roberts et al.	2/227
2,483,136	9/1949	Hamman et al.	36/2 R
2,720,040	10/1955	Rogers	36/2 R
4,506,391	3/1985	Rodman	2/227
5,038,408	8/1991	DeBaene	2/23

Primary Examiner—Celia Murphy

Attorney, Agent, or Firm—Burns Doane Swecker & Mathis L.L.P.

[57] **CLAIM**

The ornamental design for denim riding chaps, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of denim riding chaps showing my new design; the broken lines showing a suited female

figure are for illustrative purposes only and form no part of the claimed design, and the broken lines on the claimed invention are understood to represent stitching.

FIG. 2 is a front perspective view thereof;

FIG. 3 is a rear perspective view thereof;

FIG. 4 is a rear perspective view thereof, the right leg portion unfastened and opened to show a portion of the interior;

FIG. 5 is an outside elevational view of the right leg portion opened and laid flat, the opposite side being substantially similar except for the fasteners, and the absence of the knee pad feature;

FIG. 6 is an outside elevational view of the left leg portion opened and laid flat, the opposite side being substantially similar except for the fasteners, and the absence of the knee pad feature;

FIG. 7 is a front perspective view of an alternate embodiment of the design shown in FIG. 1;



FIG. 8 is a rear perspective view of FIG. 7;

FIG. 9 is a rear perspective view of FIG. 7, the right leg portion of FIG. 7 unfastened and opened to show a portion of the interior.

FIG. 10 is an outside elevational view of the right leg portion of FIG. 7, opened and laid flat, the opposite side being substantially similar except for the fasteners, and the absence of the inner leg pad feature; and,

FIG. 11 is an outside elevational view of the left leg portion of FIG. 7, opened and laid flat, the opposite side being substantially similar except for the fasteners, and the absence of the inner leg pad feature.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 4




FIG. 3






FIG. 2






FIG. 9




FIG. 8




FIG. 7




FIG. 11




FIG. 10