



US00D420563S

United States Patent [19]
Stanford

[11] Patent Number: Des. 420,563
[45] Date of Patent: ** Feb. 15, 2000

[54] INTEGRAL SPRING LATCH
[75] Inventor: Carl R. Stanford, Clinton, Utah
[73] Assignee: Lifetime Products, Inc., Clearfield, Utah
[**] Term: 14 Years
[21] Appl. No.: 29/096,980
[22] Filed: Nov. 25, 1998
[51] LOC (7) Cl. 08-07
[52] U.S. Cl. D8/331; D8/343
[58] Field of Search D8/330, 331, 343, D8/323, 339, 325; 108/131, 133; 292/32, 248, 109, 80, 106, 179, DIG. 38; 16/231, DIG. 13

[56] References Cited

U.S. PATENT DOCUMENTS			
71,126	11/1867	Bragdon .	
D. 402,181	12/1998	Hayes	D8/343
1,901,105	3/1933	Kovats .	
1,970,220	8/1934	Boenning	45/11
2,020,014	11/1935	Boenning	311/98
2,183,070	12/1939	Griesedieck	311/98
2,619,394	11/1952	Mahr	311/4
2,621,710	12/1952	Miller	155/124
2,689,158	9/1954	Mahr	311/87
2,723,890	11/1955	Erickson	311/104
2,780,506	2/1957	Howe	311/89
2,810,972	10/1957	Olsen	38/117
3,141,424	7/1964	Seymour	108/113
3,797,870	3/1974	Beckman	292/128
4,067,597	1/1978	Lawrence	292/228
4,089,522	5/1978	Rock	273/30
4,401,350	8/1983	Fortune	312/107
4,534,586	8/1985	Smith	292/228
4,573,415	3/1986	Ramey	108/129
4,606,575	8/1986	Kodet	297/124
4,971,372	11/1990	Gunderson	292/80
5,014,628	5/1991	Roberts	108/133
5,345,881	9/1994	Loescher	108/132
5,583,612	12/1996	Schell et al.	355/200
5,606,922	3/1997	Adams et al.	108/129

5,865,128	2/1999	Tarnay	108/133
5,882,052	3/1999	Whitehead	292/80

FOREIGN PATENT DOCUMENTS

15080/28	7/1929	Australia .
280 653	7/1990	Germany .
12423	7/1901	United Kingdom .

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Madson & Metcalf



[57] CLAIM

The ornamental design for an integral spring latch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an integral spring latch showing a presently preferred embodiment of my new design;
FIG. 2 is a right side elevational view of the embodiment of FIG. 1;
FIG. 3 is a left side elevational view of the embodiment of FIG. 1;
FIG. 4 is a front elevational view of the embodiment of FIG. 1;
FIG. 5 is a rear elevational view of the embodiment of FIG. 1;
FIG. 6 is a top plan view of the embodiment of FIG. 1;
FIG. 7 is a bottom plan view of the embodiment of FIG. 1;
FIG. 8 is a perspective view of an integral spring latch showing yet another presently preferred embodiment of my new design;
FIG. 9 is a right side elevational view of the embodiment of FIG. 8;
FIG. 10 is a left side elevational view of the embodiment of FIG. 8;
FIG. 11 is a front elevational view of the embodiment of FIG. 8;
FIG. 12 is a rear elevational view of the embodiment of FIG. 8;
FIG. 13 is a top plan view of the embodiment of FIG. 8; and, FIG. 14 is a bottom plan view of the embodiment of FIG. 8.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



Fig. 14