

US00D420650S

United States Patent [19]

Feierbach

[11] Patent Number: Des. 420,650

[45] Date of Patent: ** Feb. 15, 2000

[54] DESKTOP COMPUTER WORKSTATION

[76]	Inventor:	Wolfgang Feierbach, Industriestrasse 6,
		D-63674 Altenstadt/Hessen, Germany

[**] Term: 14 Years

[21] Appl. No.: 29/099,988

Jan. 5, 1999

[51]

[22] Filed: Feb. 1, 1999

[DE]

[30] Foreign Application Priority Data

[52]	U.S. Cl	D14/100 ; D14/106
[58]	Field of Search	D14/100, 101,
	D14/106, 113,	126–129, 225; 361/708.1;
	345/104, 133	3, 156, 168, 173; 348/180,
	184, 325, 739; 341	1/12; 248/918–924; 349/1,

Germany 49900098

2, 11, 62

[56] References Cited

U.S. PATENT DOCUMENTS

D. 273,584D. 276,232D. 279,782	3/1981 4/1984 11/1984 7/1985	Genaro et al. Esslinger et al. McGarvey et al. Dix et al. Bismanovsky et al. Kumar	D14/106 D14/106 D14/106 D14/106
5,548,478	8/1996	Kumar	361/681

OTHER PUBLICATIONS

"CE Pro Portables: Bigger Than a PDA, Smaller Than a Notebook", PC World, Jan. 1999, pp. 54, 58.

Primary Examiner—Freda Nunn Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear, LLP

[57] CLAIM

The ornamental design for a desktop computer workstation, as shown and described.

DESCRIPTION

FIG. 1 is a front and left perspective view of a computer workstation in accordance with a preferred embodiment of the present invention, shown in an operational condition with a monitor screen open and input devices in extended positions;

FIG. 2 is a front elevational view of the computer workstation of FIG. 1, shown in a closed condition, with the monitor screen closed and the input devices berthed;

FIG. 3 is a front elevational view of the computer workstation of FIG. 1, with the input devices in extended positions;

FIG. 4 is a front elevational view of the computer workstation of FIG. 1;

FIG. 5 is a left side elevational view of the computer workstation of FIG. 1 in the closed condition, the right side elevational view being a mirror image thereof;

FIG. 6 is a left side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and intermediate position, the right side elevational view being a mirror image thereof;

FIG. 7 is a left side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and rearward position, the right side elevational view being a mirror image thereof;

FIG. 8 is a top plan view of the computer workstation of FIG. 1 in the closed condition;


FIG. 9 is a top plan view of the computer workstation of FIG. 1, with the monitor in the open and rearward position;

FIG. 10 is a bottom plan view of the computer workstation of FIG. 1;


FIG. 11 is a rear elevational view of the computer workstation of FIG. 1 in the closed condition; and,


FIG. 12 is a rear elevational view of the computer workstation of FIG. 1 in the operational condition.

1 Claim, 7 Drawing Sheets




Feb. 15, 2000





Feb. 15, 2000









FIG. 4






HIG. 7



H.16.6



Feb. 15, 2000

FIG. 8




FIG. 10




FIG. 11




FIG. 12