



US00D420650S

# United States Patent [19] Feierbach

[11] Patent Number: Des. 420,650

[45] Date of Patent: \*\* Feb. 15, 2000

## [54] DESKTOP COMPUTER WORKSTATION

## DESCRIPTION

[76] Inventor: **Wolfgang Feierbach**, Industriestrasse 6, D-63674 Albstadt/Hessen, Germany

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/099,988**

[22] Filed: **Feb. 1, 1999**

### [30] Foreign Application Priority Data

Jan. 5, 1999 [DE] Germany ..... 49900098

[51] LOC (7) Cl. .... **14-02**

[52] U.S. Cl. .... **D14/100; D14/106**

[58] Field of Search ..... D14/100, 101, D14/106, 113, 126-129, 225; 361/708.1; 345/104, 133, 156, 168, 173; 348/180, 184, 325, 739; 341/12; 248/918-924; 349/1, 2, 11, 62

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 227,899	7/1973	Genaro et al. ....	D14/106
D. 258,735	3/1981	Esslinger et al. ....	D14/106
D. 273,584	4/1984	McGarvey et al. ....	D14/106
D. 276,232	11/1984	Dix et al. ....	D14/106
D. 279,782	7/1985	Bismanovsky et al. ....	D14/106
5,548,478	8/1996	Kumar ....	361/681

#### OTHER PUBLICATIONS

“CE Pro Portables: Bigger Than a PDA, Smaller Than a Notebook”, PC World, Jan. 1999, pp. 54, 58.

*Primary Examiner*—Freda Nunn

*Attorney, Agent, or Firm*—Knobbe, Martens, Olson & Bear, LLP

### [57] CLAIM

The ornamental design for a desktop computer workstation, as shown and described.

FIG. 1 is a front and left perspective view of a computer workstation in accordance with a preferred embodiment of the present invention, shown in an operational condition with a monitor screen open and input devices in extended positions;

FIG. 2 is a front elevational view of the computer workstation of FIG. 1, shown in a closed condition, with the monitor screen closed and the input devices berthed;

FIG. 3 is a front elevational view of the computer workstation of FIG. 1, with the input devices in extended positions;

FIG. 4 is a front elevational view of the computer workstation of FIG. 1;

FIG. 5 is a left side elevational view of the computer workstation of FIG. 1 in the closed condition, the right side elevational view being a mirror image thereof;

FIG. 6 is a left side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and intermediate position, the right side elevational view being a mirror image thereof;

FIG. 7 is a left side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and rearward position, the right side elevational view being a mirror image thereof;

FIG. 8 is a top plan view of the computer workstation of FIG. 1 in the closed condition;


FIG. 9 is a top plan view of the computer workstation of FIG. 1, with the monitor in the open and rearward position;


FIG. 10 is a bottom plan view of the computer workstation of FIG. 1;

FIG. 11 is a rear elevational view of the computer workstation of FIG. 1 in the closed condition; and,


FIG. 12 is a rear elevational view of the computer workstation of FIG. 1 in the operational condition.

**1 Claim, 7 Drawing Sheets**







*FIG. 1*




*FIG. 3*




*FIG. 2*




***FIG. 4***




**FIG. 5**




**FIG. 7**




**FIG. 6**




**FIG. 8**




**FIG. 9**



**FIG. 10**



*FIG. 11*



*FIG. 12*