



US00D420790S

United States Patent [19] Oliva

[11] Patent Number: **Des. 420,790**

[45] Date of Patent: **** Feb. 22, 2000**

[54] **SHOE UPPER**

[75] Inventor: **Salvatore Oliva**, Winthrop, Mass.

[73] Assignee: **The Rockport Company, Inc.**,
Marlborough, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **29/097,660**

[22] Filed: **Dec. 11, 1998**

[51] **LOC (7) Cl.** **02-04**

[52] **U.S. Cl.** **D2/969; D2/907; D2/902**

[58] **Field of Search** D2/902, 907, 912,
D2/969, 970, 947-960; 36/83, 89, 102,
106, 113, 114, 126-131, 3 R, 45, 46.5,
84, 50.1, 25 R, 4

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|---------------|-------|--------|
| D. 233,805 | 12/1974 | Kubo | | D2/902 |
| D. 240,280 | 6/1976 | Senter | | D2/902 |
| D. 248,512 | 7/1978 | Nova et al. | | D2/912 |
| D. 279,620 | 7/1985 | Ueda | | D2/908 |
| D. 296,037 | 6/1988 | Brown et al. | | D2/970 |
| D. 303,868 | 10/1989 | Argyropoulos | | D2/907 |
| D. 341,937 | 12/1993 | Minkin | | D2/970 |
| D. 345,460 | 3/1994 | Ryder | | D2/969 |
| D. 346,897 | 5/1994 | Morris et al. | | D2/970 |
| D. 349,806 | 8/1994 | Minkin | | D2/970 |
| D. 351,939 | 11/1994 | Ryder | | D2/970 |
| D. 354,165 | 1/1995 | Werman | | D2/970 |
| D. 358,930 | 6/1995 | Blanchini | | D2/970 |
| D. 380,597 | 7/1997 | Brooks et al. | | D2/970 |
| D. 381,798 | 8/1997 | Cyr | | D2/970 |
| D. 382,992 | 9/1997 | Chiu | | D2/970 |
| D. 384,195 | 9/1997 | Brooks et al. | | D2/970 |
| D. 385,397 | 10/1997 | Duclos | | D2/970 |
| D. 399,043 | 10/1998 | Duclos et al. | | D2/969 |
| D. 399,044 | 10/1998 | Hamel | | D2/970 |
| D. 400,699 | 10/1998 | Brooks et al. | | D2/970 |

| | | | | |
|------------|---------|--------------------|-------|---------|
| D. 402,100 | 12/1998 | Greenberg | | D2/970 |
| D. 403,148 | 12/1998 | Kelchak | | D2/970 |
| D. 403,849 | 1/1999 | Greenberg | | D2/969 |
| D. 404,553 | 1/1999 | Greenberg | | D2/969 |
| D. 404,905 | 2/1999 | Kelchak | | D2/970 |
| D. 405,238 | 2/1999 | Hamel | | D2/970 |
| D. 405,599 | 2/1999 | Hamel | | D2/969 |
| D. 408,979 | 5/1999 | Boyer | | D2/970 |
| D. 410,326 | 6/1999 | Duclos | | D2/970 |
| 2,591,211 | 4/1952 | Spencer | | 36/4 |
| 3,545,107 | 12/1970 | Cinquegrana et al. | | 36/50.1 |
| 3,798,804 | 3/1974 | Funck | | 36/45 |

OTHER PUBLICATIONS

Cabela's Catalog, p. 95, Items A & B, Chukka Boot; p. 126, Rockport Chukka & Cabela' Classic Safari Boot, Jul. 1991. Cabela's Catalog, p. 195 Cabela's Outfitter Series; p. 244 Teton II Hikers, Kalmath and Kahntena Hikers, Gunnison Hiker; p. 246, Grand Mesa Hikers, Aug. 1999. World Traveler Oxford and World Traveler Walker shoes, L.L. Bean, Early Spring 1999 Catalog for Men, p. 78.

Primary Examiner—Louis S. Zarfes

Assistant Examiner—G Andoll

Attorney, Agent, or Firm—Sterne, Kessler, Goldstein & Fox PLLC

[57] **CLAIM**

The ornamental design for a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a shoe upper showing my new design;

FIG. 2 is a right side elevational view thereof;


FIG. 3 is a front perspective view thereof;

FIG. 4 is a front elevational view thereof; and,

FIG. 5 is a rear elevational view thereof.

The broken line showing of a shoe sole in FIGS. 1-5 is environmental only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5