



US00D420923S

**United States Patent** [19]  
**de Janasz**

[11] **Patent Number: Des. 420,923**

[45] **Date of Patent: \*\* Feb. 22, 2000**

[54] **TOOTH TIMER**

[76] Inventor: **Antoinette de Janasz**, 3609 McFarlin Blvd., Dallas, Tex. 75205

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/103,770**

[22] Filed: **Apr. 20, 1999**

[51] **LOC (7) Cl.** ..... **10-03**

[52] **U.S. Cl.** ..... **D10/40; D10/6**

[58] **Field of Search** ..... D10/1-40, 44, D10/122-132; 368/97-100, 107-121, 276-277, 285, 316, 317; 307/141, 141.4

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 232,213	7/1974	Dobyns	.....	D10/40
D. 232,224	7/1974	Dobyns	.....	D10/40
D. 236,697	9/1975	Draghi	.....	D10/40
D. 238,255	12/1975	Beckwith	.....	D10/44
D. 247,225	2/1978	Beckwith	.....	D10/44
D. 258,806	4/1981	Mericle et al.	.....	D10/44
D. 278,801	5/1985	Long	.....	D10/40
D. 284,227	6/1986	Dagowitz et al.	.....	D99/37
D. 330,822	11/1992	Steiner	.....	D6/528
D. 380,164	6/1997	Galla	.....	D10/40
D. 394,013	5/1998	Morelli et al.	.....	D10/40

**OTHER PUBLICATIONS**

Hong Kong Enterprise—Oct. 1995—pp. 204-205 —Timers. Sanitoy, Inc., Brochure entitled, "Good Parenting Begins with Helping Your Child to Look, Learn and Grow", Fitchburg, Mass.

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Richard E. Oney

[57] **CLAIM**

I claim the ornamental design for a tooth timer, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a preferred embodiment of a tooth timer illustrating my ornamental design.

FIG. 2 is a left side elevation view of the tooth timer shown in FIG. 1.

FIG. 3 is a rear elevation view of the tooth timer shown in FIG. 1.


FIG. 4 is a right side elevation view of the tooth timer shown in FIG. 1.

FIG. 5 is a top plan view of the tooth timer shown in FIG. 1; and,

FIG. 6 is a bottom plan view of the tooth timer shown in FIG. 1.

The preferred embodiment of the tooth timer shown is used as a timer by twisting the top portion, or crown, of the tooth timer in a clockwise direction from the position shown in FIG. 1 to start the timer. As the timer runs, the crown portion rotates back to the position shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*