



US00D420949S

United States Patent [19]
Poling

[11] Patent Number: Des. 420,949
[45] Date of Patent: ** Feb. 22, 2000

[54] TIRE TREAD

[75] Inventor: David Charles Poling, Uniontown, Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 29/101,830

[22] Filed: Mar. 11, 1999

[51] LOC (7) Cl. 12-15

[52] U.S. Cl. D12/146

[58] Field of Search D12/136-152;
152/209.1, 209.8, 209.9, 209.11, 209.13,
209.28, 900, 902, 903

[56] References Cited

U.S. PATENT DOCUMENTS

D. 273,856	5/1984	Vögler .	
D. 315,124	3/1991	Baus .	
D. 316,065	4/1991	Tsuda et al. .	
D. 326,074	5/1992	Himuro et al. .	
D. 328,584	8/1992	Maxwell et al.	D12/147
D. 334,361	3/1993	Croissant	D12/147
D. 335,841	5/1993	Caretta et al. .	
D. 335,844	5/1993	Boiocchi et al. .	
D. 336,067	6/1993	Fujii .	
D. 336,069	6/1993	White	D12/147
D. 343,375	1/1994	Himuro et al. .	
D. 349,080	7/1994	Loser .	
D. 350,926	9/1994	Hutz	D12/147
D. 354,467	1/1995	Wallet et al.	D12/147
D. 365,790	1/1996	Chen .	
D. 365,791	1/1996	Brown et al. .	
D. 379,334	5/1997	Rohweder et al. .	
D. 387,020	12/1997	Gause et al. .	
D. 394,030	5/1998	Lassan et al. .	
D. 394,031	5/1998	Galante et al.	D12/147
5,287,905	2/1994	Caretta et al. .	

5,658,404 8/1997 Brown et al. .

FOREIGN PATENT DOCUMENTS

M 94 04 565 10/1994 Germany .

OTHER PUBLICATIONS

Multi-Mile Nova 880Tire, 1997 Tread Design Guide, p. 55. 4/5, Jan. 1997.

Tribute Sport IV KHP 880 Tire, 1997 Tread Design Guide, p. 75. 2/3, Jan. 1997.

Atlas (Canada) Performance PXL Tire, 1997 Tread Design Guide, p. 81. 4/3, Jan. 1997.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—T P Lewandowski

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary perspective view;

FIG. 5 is a perspective view of a second embodiment of the tire tread;



FIG. 6 is a front elevational view of the tread in FIG. 5;

FIG. 7 is a side elevational view of the tread in FIG. 5; and,

FIG. 8 is an enlarged fragmentary perspective view of the tread in FIG. 5.

In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8