



US00D421040S

**United States Patent** [19]  
**Berke**

[11] **Patent Number: Des. 421,040**

[45] **Date of Patent: \*\* Feb. 22, 2000**

[54] **REAR VISION FACE MASK**

[76] Inventor: **Joseph J. Berke**, 2063 Long Lake Shore, West Bloomfield, Mich. 48323

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/096,874**

[22] Filed: **Nov. 23, 1998**

[51] **LOC (7) Cl.** ..... **16-06**

[52] **U.S. Cl.** ..... **D16/309; D16/325; D16/336**

[58] **Field of Search** ..... D16/101, 300-330, D16/335-337; 351/41, 44, 51, 52, 57-58, 63, 126, 157, 158; 2/448-454, 13

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 220,291	3/1971	Bloch	.....	D16/320
D. 293,328	12/1987	Murphy et al.	.....	D16/313
D. 308,980	7/1990	McGee	.....	D16/314
D. 313,236	12/1990	Mackay	.....	D16/314
D. 327,079	6/1992	Allen	.....	D16/309
D. 382,890	8/1997	Berke	.....	D16/309

D. 391,040	2/1998	Berke	.....	D16/304
D. 396,484	7/1998	Stables	.....	D16/325
D. 398,325	9/1998	Hall et al.	.....	D16/325

*Primary Examiner*—Raphael Barkai  
*Attorney, Agent, or Firm*—Alex Rhodes


[57] **CLAIM**


The ornamental design for a rear vision face mask, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view showing the top, front and sides of a face mask with a pair of extended vision optical elements in non-hyphen operable stored positions, showing my new design, the side opposite being a mirror image; FIG. 2 is a perspective view showing the top, front and sides of the face mask with the optical elements in operable positions; and, FIG. 3 is a perspective view showing the top, rear and sides of the face mask with the optical elements in operable positions.

**1 Claim, 2 Drawing Sheets**





*FIG. 1*



*FIG. 2*




FIG. 3