



US00D421425S

# United States Patent [19]

Yamano et al.

[11] Patent Number: **Des. 421,425**

[45] Date of Patent: **\*\* Mar. 7, 2000**

[54] **IMAGE INPUT DEVICE**

[75] Inventors: **Hirokazu Yamano; Teruo Baba**, both of Nagano, Japan

[73] Assignee: **Seiko Epson Corporation**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/100,704**

[22] Filed: **Feb. 16, 1999**

[30] **Foreign Application Priority Data**

Aug. 17, 1998 [JP] Japan ..... 10-23489

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/107**

[58] **Field of Search** ..... D14/100, 107, D14/108, 109, 118; D18/36, 37, 39; 235/454, 470, 380, 382, 382.5; 250/556; 355/64, 65, 75, 81; D13/147

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 380,742 7/1997 Van De Loo ..... D14/107

D. 398,582 9/1998 Fryers ..... D13/147

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—Stroock & Stroock & Lavan LLP


[57] **CLAIM**

The ornamental design for an image input device, as shown and described.



**DESCRIPTION**

FIG. 1 is a perspective view of an image input device in accordance with the present invention;  
FIG. 2 is a top plan view of the image input device of FIG. 1;  
FIG. 3 is a front elevational view of the image input device of FIG. 1;  
FIG. 4 is a left side elevational view of the image input device of FIG. 1;  
FIG. 5 is a right side elevational view of the image input device of FIG. 1;  
FIG. 6 is a rear elevational view of the image input device of FIG. 1; and,  
FIG. 7 is a bottom plan view of the image input device of FIG. 1.

**1 Claim, 3 Drawing Sheets**




*FIG. 1*




*FIG. 2*


*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

