



US00D421709S

United States Patent [19]

[11] **Patent Number: Des. 421,709**

Haslem et al.

[45] **Date of Patent: ** Mar. 21, 2000**

[54] **TOWER CHAIR**

OTHER PUBLICATIONS

[75] Inventors: **Dale Haslem**, Canyon Lake; **G. Douglas Hartzheim**, Fontana; **Steve Wilbur**, Chino; **Marty Lancial**, San Bernardino, all of Calif.

Product brochure from International Plastics, Corp. of Nicholasville, Kentucky for X High Chair, X Bar Chair and Joist Chair (1991).

Product brochure from Spillman of Columbus, Ohio for Plasclips, Meshclips and Plaschair (1994).

[73] Assignee: **Aztec Concrete Accessories, Inc.**, Fontana, Calif.

Product brochure from General Technologies, Inc. of Stafford, Texas for Reinforcing Bar Supports (1997 Price List).

[**] Term: **14 Years**

Product brochure from Aztec Concrete Accessories, Inc. of Fontana, California for Adjustable Screed Chair (Dec. 1, 1997).

[21] Appl. No.: **29/094,467**

Primary Examiner—Doris Clark

[22] Filed: **Oct. 2, 1998**

Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear, LLP

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/354**

[57] **CLAIM**

[58] **Field of Search** 52/583.1, 685, 52/689, 687, 677, 740.1; D25/199; D8/354

The ornamental design for a tower chair, as shown and described.

[56] **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

FIG. 1 is a perspective view of a tower chair of the present invention;

FIG. 2 is a top plan view of the tower chair of FIG. 1;

FIG. 3 is a front elevational view of the tower chair of FIG. 1, with the back, right and left elevational views being identical;

FIG. 4 is a bottom plan view of the tower chair of FIG. 1; FIG. 5 is a perspective view of the tower chair of FIG. 1, illustrating an exemplar head piece attached to the top of the tower chair;

FIG. 6 is a perspective view of a tower chair of a second embodiment of the present invention;

FIG. 7 is a top plan view of the tower chair of FIG. 6;

FIG. 8 is a front elevational view of the tower chair of FIG. 6, with the back, right and left elevational views being identical;

FIG. 9 is a bottom plan view of the tower chair of FIG. 6; FIG. 10 is a perspective view of the tower chair of FIG. 1, illustrating an exemplar head piece attached to the top of the tower chair;

FIG. 11 is a perspective view of a tower chair of a third embodiment of the present invention;

FIG. 12 is a top plan view of the tower chair of FIG. 11;

D. 334,133	3/1993	Hartzheim .	
D. 388,312	12/1997	Sorkin	D8/354
D. 394,200	5/1998	Hartzheim	D8/354
3,255,565	6/1966	Menzel .	
3,693,310	9/1972	Middleton .	
3,830,032	8/1974	Robb	52/687
4,000,591	1/1977	Courtois .	
4,483,119	11/1984	Hernandez .	
4,655,023	4/1987	Yung .	
4,682,461	7/1987	Sizemore .	
4,756,641	7/1988	Hartzheim .	
5,107,654	4/1992	Leonardis .	
5,201,869	4/1993	Roethel .	
5,222,628	6/1993	Roethel .	
5,555,693	9/1996	Sorkin .	

FOREIGN PATENT DOCUMENTS

227969	5/1960	Australia .
1 186 162	4/1985	Canada .
575043	1/1946	Sweden .
1 428 675	5/1972	United Kingdom .
1 276 874	6/1972	United Kingdom .




FIG. 13 is a front elevational view of the tower chair of FIG. 11, with the back, right and left elevational views being identical;

FIG. 14 is a bottom plan view of the tower chair of FIG. 11; and,

FIG. 15 is a perspective view of the tower chair of FIG. 11, illustrating an exemplar head piece attached to the tower chair.

The broken line showing in the accompanying drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets




FIG. 1

FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6

FIG. 7




FIG. 8





FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15