



US00D421730S

United States Patent [19] Vance

[11] **Patent Number: Des. 421,730**

[45] **Date of Patent: ** Mar. 21, 2000**

[54] **RIGID FLAG**

[76] Inventor: **Dan Vance**, 8948 SW. Barbur Blvd.,
#150, Portland, Oreg. 97219-4047

[**] Term: **14 Years**

[21] Appl. No.: **29/106,588**

[22] Filed: **Jun. 15, 1999**

[51] **LOC (6) Cl.** **11-05**

[52] **U.S. Cl.** **D11/166; D11/168**

[58] **Field of Search** D11/165, 166,
D11/168, 172, 175; 340/539; 116/173, 174,
175

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 53,176	4/1919	Heyl	D11/168
D. 54,334	12/1919	Samuel	D11/166
D. 141,001	4/1945	Spencer	D11/168
D. 248,340	6/1978	Miller	D11/166
D. 290,822	7/1987	McEntee	D11/166

D. 319,200	8/1991	Stephenson	D11/166
D. 358,564	5/1995	Hart	D11/165 X
363,345	5/1887	Price et al.	116/175
2,284,209	5/1942	Holm	116/175
5,825,295	10/1998	Casady et al.	116/173 X
5,862,773	1/1999	Kaufman	116/173
5,933,081	8/1999	Jones	340/539

Primary Examiner—M. N. Pandozzi

[57] **CLAIM**

The ornamental design for a rigid flag, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a rigid flag showing my new design;



FIG. 2 is a front elevational view thereof, the undisclosed rear elevational view is symmetrical;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof; and,

FIG. 5 is a top plan view thereof, the undisclosed bottom plan view is identical.

1 Claim, 2 Drawing Sheets






Fig. 1

Fig. 5




Fig. 3




Fig. 2



Fig. 4