US00D421732S

United States Patent [19]

Fierro et al.

[11] **Patent Number: Des. 421,732**

[45] **Date of Patent: ** Mar. 21, 2000**

[54] **TIRE TREAD**

[75] Inventors: **Anthony John Fierro**, Uniontown; **Kurt Jon Bergstrom**, Tallmadge; **Kevin Christopher Legge**, Uniontown; **David Allen Griffin**; **Jeffrey Leon Sevart**, both of Akron, all of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **29/105,681**

[22] Filed: **May 28, 1999**

[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/146**
[58] **Field of Search** D12/136–152; 152/209.1, 209.8, 209.9, 209.11, 209.13, 209.28, 900, 902, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 283,695	5/1986	Walker et al. .	
D. 301,445	6/1989	Terada	D12/147
D. 334,371	3/1993	Hodges .	
D. 350,099	8/1994	Manestar .	
D. 350,102	8/1994	Evraert et al. .	
D. 350,513	9/1994	Mehta et al. .	
D. 364,369	11/1995	Graas .	
D. 365,053	12/1995	White .	
D. 381,000	7/1997	White .	
D. 382,236	8/1997	Kakegawa et al.	D12/147
D. 384,623	10/1997	Schuster	D12/148
D. 389,103	1/1998	Hashimoto et al. .	
D. 393,612	4/1998	Hino .	
D. 399,797	10/1998	Bergstrom et al. .	
5,386,861	2/1995	Overhoff et al. .	
5,454,411	10/1995	Weyrich et al. .	

OTHER PUBLICATIONS

National Akuret Metric Tire, 1998 Tread Design Guide, p. 54. 1/5, Jan. 1998.
Dan Wildcat H/T Radial LT Tire, 1998 Tread Design Guide, p. 89. 2/2, Jan. 1998.
Marshal Power Guard A/T 822 Tire, 1998 Tread Design Guide, p. 104. 2/5, Jan. 1998.
Kumho Tire, Center Illustration, Modern Tire Dealer Magazine, p. 3, Jan. 1997.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. **4** is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between tje tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets





FIG−1



FIG–2



FIG–3



FIG–4