



US00D421767S

United States Patent [19] Kusanagi

[11] **Patent Number:** **Des. 421,767**
[45] **Date of Patent:** **** Mar. 21, 2000**

[54] **PHOTOCOPIER**

[75] Inventor: **Takashi Kusanagi**, Akishima, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/104,022**

[22] Filed: **Apr. 27, 1999**

[30] **Foreign Application Priority Data**

Oct. 28, 1998 [JP] Japan 10-31295

[51] **LOC (6) Cl.** **16-03**

[52] **U.S. Cl.** **D18/39**

[58] **Field of Search** D18/36-39; 399/1, 399/16, 75, 130, 151, 310, 361, 365; 355/97

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 312,653 12/1990 Nakamura et al. D18/37

D. 358,412 5/1995 Momose et al. D18/39
D. 362,457 9/1995 Shimizu D18/39
D. 384,692 10/1997 Takenouchi D18/39
D. 404,418 1/1999 Takeuchi D18/39
D. 404,419 1/1999 Kusanagi D18/39

Primary Examiner—Caron D. Veynar

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a photocopier, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a photocopier showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

