



US00D421916S

**United States Patent** [19]  
**Iwanaga**

[11] **Patent Number: Des. 421,916**

[45] **Date of Patent: \*\* Mar. 28, 2000**

[54] **WATCHCASE**

[75] Inventor: **Kazuo Iwanaga**, Chiba, Japan

[73] Assignee: **Seiko Instruments Inc.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/094,144**

[22] Filed: **Sep. 25, 1998**

[30] **Foreign Application Priority Data**

Mar. 26, 1998 [JP] Japan ..... 10-8465

[51] **LOC (6) Cl.** ..... **10-02**

[52] **U.S. Cl.** ..... **D10/30**

[58] **Field of Search** ..... D10/1-40, 122-132;  
368/280-282, 276-277, 285

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 357,191 4/1995 Chodat ..... D10/30

D. 362,395 9/1995 Chodat ..... D10/30  
D. 373,088 8/1996 Wunderman ..... D10/39  
D. 385,803 11/1997 Hysek ..... D10/30  
D. 386,976 12/1997 Campilan ..... D10/30

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Adams & Wilks


[57] **CLAIM**


The ornamental design for a watchcase, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view of a watchcase showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left elevational view thereof;  
FIG. 6 is a right elevational view thereof; and,  
FIG. 7 is a front right perspective view thereof.

**1 Claim, 2 Drawing Sheets**







*FIG. 3*




*FIG. 5*




*FIG. 1*




*FIG. 6*



*FIG. 4*



*FIG. 2*



*FIG. 7*