



US00D422179S

United States Patent [19] Stephenson

[11] Patent Number: Des. 422,179
[45] Date of Patent: ** Apr. 4, 2000

[54] CONTAINER FOR BEVERAGES

[75] Inventor: Karl Stephenson, Seattle, Wash.

[73] Assignee: Bergschrund, Inc., Seattle, Wash.

[**] Term: 14 Years

[21] Appl. No.: 29/099,429

[22] Filed: Jan. 21, 1999

[51] LOC (6) Cl. 07-01

[52] U.S. Cl. D7/510; D7/511; D7/532

[58] Field of Search D7/507, 509, 513,
D7/510, 511, 532, 608, 619, 622, 624,
523, 533, 536, 514, 515, 512, 625; D9/308;
215/382, 387; 220/677, 669, 675, 737,
673; 229/4.5, 400

[56] References Cited

U.S. PATENT DOCUMENTS

D. 181,489	11/1957	Ossman	D7/608
D. 332,373	1/1993	Kahl	D7/510
D. 332,896	2/1993	Hoelterscheidt	D7/536
D. 359,196	6/1995	Nichols	D7/510
D. 362,156	9/1995	Goto et al.	D7/511
D. 371,936	7/1996	Goto et al.	D7/523
D. 397,905	9/1998	Hsu	D7/510 X
D. 409,451	5/1999	Kato et al.	D7/608
2,729,956	1/1956	Gilbert	215/387 X
5,174,469	12/1992	Policapelli	220/675
5,644,298	7/1997	Brooks et al.	D7/509 X
5,810,195	9/1998	Sim	220/675 X

Primary Examiner—M. N. Pandozzi

Attorney, Agent, or Firm—Christensen O'Connor Johnson & Kindness PLLC

[57] CLAIM

The ornamental design for a container for beverages, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a container for beverages provided in accordance with a first embodiment of the present invention;




FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front isometric view of a container for beverages provided in accordance with a second embodiment of the present invention;

FIG. 9 is a front elevational view of the container illustrated in FIG. 8;

FIG. 10 is a left side elevational view of the container illustrated in FIG. 8, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 4-7, respectively;

FIG. 11 is a front isometric view of a container for beverages provided in accordance with a third embodiment of the present invention;

FIG. 12 is a front elevational view of the container illustrated in FIG. 11;

FIG. 13 is a left side elevational view of the container illustrated in FIG. 11, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 4-7, respectively;

FIG. 14 is a front isometric view of a container for beverages provided in accordance with a fourth embodiment of the present invention;

FIG. 15 is a front elevational view of the container illustrated in FIG. 14;

FIG. 16 is a left side elevational view of the container illustrated in FIG. 14;

FIG. 17 is a rear elevational view of the container illustrated in FIG. 14;

FIG. 18 is a right side elevational view of the container illustrated in FIG. 14;

FIG. 19 is a top plan view of the container illustrated in FIG. 14;

FIG. 20 is a bottom plan view of the container illustrated in FIG. 14;

FIG. 21 is a front isometric view of a container for beverages provided in accordance with a fifth embodiment of the present invention;

FIG. 22 is a front elevational view of the container illustrated in FIG. 21;




FIG. 23 is a left side elevational view of the container illustrated in FIG. 21, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 17-20, respectively;

FIG. 24 is a front isometric view of a container for beverages provided in accordance with a sixth embodiment of the present invention;

FIG. 25 is a front elevational view of the container illustrated in FIG. 24;

FIG. 26 is a left side elevational view of the container illustrated in FIG. 24, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 17-20, respectively;

FIG. 27 is a front isometric view of a container for beverages provided in accordance with a seventh embodiment of the present invention;

FIG. 28 is a front elevational view of the container illustrated in FIG. 27;

FIG. 29 is a left side elevational view of the container illustrated in FIG. 27;

FIG. 30 is a rear elevational view of the container illustrated in FIG. 27;

FIG. 31 is a right side elevational view of the container illustrated in FIG. 27;

FIG. 32 is a top plan view of the container illustrated in FIG. 27;

FIG. 33 is a bottom plan view of the container illustrated in FIG. 27;

FIG. 34 is a front isometric view of a container for beverages provided in accordance with an eighth embodiment of the present invention;

FIG. 35 is a front elevational view of the container illustrated in FIG. 34;

FIG. 36 is a left side elevational view of the container illustrated in FIG. 34, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 30-33, respectively;

FIG. 37 is a front isometric view of a container for beverages provided in accordance with a ninth embodiment of the present invention;

FIG. 38 is a front elevational view of the container illustrated in FIG. 37; and,

FIG. 39 is a left side elevational view of the container illustrated in FIG. 37, the rear elevational, right side elevational, top plan and bottom plan views thereof being identical to FIGS. 30-33, respectively.

1 Claim, 12 Drawing Sheets

Fig. 1





Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

Fig. 8





Fig. 9




Fig. 10

Fig. 11





Fig. 12




Fig. 13

Fig. 14




Fig. 15





Fig. 16






Fig. 17




Fig. 18




Fig. 19




Fig. 20

Fig. 21




Fig. 22




Fig. 23




Fig. 24





Fig. 25




Fig. 26

Fig. 27





Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33

Fig. 34





Fig. 35




Fig. 36

Fig. 37





Fig. 38




Fig. 39