



US00D422250S

United States Patent [19]

Sacco et al.

[11] Patent Number: Des. 422,250

[45] Date of Patent: ** Apr. 4, 2000

[54] VEHICLE BUMPER CONFIGURATION

[75] Inventors: Bruno Sacco, Sindelfingen; Peter Pfeiffer, Boeblingen, both of Germany

[73] Assignee: DaimlerChrysler AG, Germany

[**] Term: 14 Years

[21] Appl. No.: 29/106,308

[22] Filed: Jun. 15, 1999

[30] Foreign Application Priority Data

Dec. 15, 1998 [DE] Germany 498 12 331

[51] LOC (6) Cl. 12-16

[52] U.S. Cl. D12/169

[58] Field of Search D12/169, 196,
D12/90-92; 293/102, 113, 115, 120; 296/180.1,
180.2

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 318,835 8/1991 Parton D12/169
- D. 372,695 8/1996 Nagashima D12/169
- D. 410,220 5/1999 Möbius et al. D12/169

D. 410,604 6/1999 Bangle D12/169

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.


[57] CLAIM

The ornamental design for a vehicle bumper configuration, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle bumper configuration according to our novel design;
 FIG. 2 is a front view of the vehicle bumper configuration according to our novel design;
 FIG. 3 is a left view of the vehicle bumper configuration according to our novel design;
 FIG. 4 is a right view of the vehicle bumper configuration according to our novel design;
 FIG. 5 is a top view of the vehicle bumper configuration according to our novel design; and,
 FIG. 6 is a bottom view of the vehicle bumper configuration according to our novel design.
 The broken lines shown depict environment and are not part of our claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6