



US00D422250S

United States Patent [19]

Sacco et al.

[11] **Patent Number: Des. 422,250**
[45] **Date of Patent: ** Apr. 4, 2000**

[54] **VEHICLE BUMPER CONFIGURATION**

[75] Inventors: **Bruno Sacco**, Sindelfingen; **Peter Pfeiffer**, Boeblingen, both of Germany

[73] Assignee: **DaimlerChrysler AG**, Germany

[**] Term: **14 Years**

[21] Appl. No.: **29/106,308**

[22] Filed: **Jun. 15, 1999**

[30] **Foreign Application Priority Data**

Dec. 15, 1998 [DE] Germany 498 12 331

[51] **LOC (6) Cl.** **12-16**

[52] **U.S. Cl.** **D12/169**

[58] **Field of Search** D12/169, 196,
D12/90-92; 293/102, 113, 115, 120; 296/180.1,
180.2

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 318,835 8/1991 Parton D12/169
D. 372,695 8/1996 Nagashima D12/169
D. 410,220 5/1999 Möbius et al. D12/169

D. 410,604 6/1999 Bangle D12/169

Primary Examiner—Melody N. Brown

Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.

[57] **CLAIM**

The ornamental design for a vehicle bumper configuration, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle bumper configuration according to our novel design;

FIG. 2 is a front view of the vehicle bumper configuration according to our novel design;

FIG. 3 is a left view of the vehicle bumper configuration according to our novel design;


FIG. 4 is a right view of the vehicle bumper configuration according to our novel design;

FIG. 5 is a top view of the vehicle bumper configuration according to our novel design; and,

FIG. 6 is a bottom view of the vehicle bumper configuration according to our novel design.

The broken lines shown depict environment and are not part of our claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6