



US00D422300S

United States Patent [19] Leung

[11] Patent Number: Des. 422,300
[45] Date of Patent: ** Apr. 4, 2000

[54] CALCULATOR

[76] Inventor: **Chan Sik Leung**, Flat F,2/F, Block 8, Lily Mansion, Site 9, Whampoa Garden, Kowloon, The Hong Kong Special Administrative Region of the People's Republic of China

[**] Term: **14 Years**

[21] Appl. No.: **29/100,204**

[22] Filed: **Feb. 5, 1999**

[51] LOC (6) Cl. **18-01**

[52] U.S. Cl. **D18/7**

[58] Field of Search D18/6, 7, 11; D14/218; 364/706-710; 235/379, 380

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,751	3/1977	Price et al.	D10/122
D. 251,634	4/1979	Sulek et al.	D18/7
D. 310,095	8/1990	Noguchi	D18/7
D. 318,462	7/1991	Worthylake	D18/7 X

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Allen R. Morganstern, Esq.

[57] CLAIM

The ornamental design for a “calculator”, as shown and described.

DESCRIPTION

FIG. 1 is a three dimensional perspective view depicting the

front, top and left side portions of a “calculator” employing Applicant’s new design.

FIG. 2 is a top elevational view of the “calculator” depicted in FIG. 1 employing Applicant’s new design wherein there is depicted the top view of the “calculator”.

FIG. 3 is a right side elevational view of the “calculator” employing Applicant’s new design as depicted in FIG. 1, the left side elevational view being a mirror image of FIG. 3.

FIG. 4 is a front elevational view of the “calculator” depicted in FIG. 1 employing Applicant’s new design.


FIG. 5 is a rear elevational view of the “calculator” depicted in FIG. 1 employing Applicant’s new design.

FIG. 6 is a bottom elevational view of the “calculator” depicted in FIG. 1 employing Applicant’s new design.

FIG. 7 is a bottom elevational view of an alternative embodiment of the “calculator” depicted in FIG. 1 employing Applicant’s new design, wherein only one spring element is depicted as opposed to three spring elements as depicted in FIG. 6, all other views as depicted in FIGS. 1 through 5 as related to this alternative embodiment of applicant’s new design as depicted in FIG. 7, being the same; and,

FIG. 8 is a bottom elevational view of another alternative embodiment of the “calculator” depicted in FIG. 1 employing Applicant’s new design, wherein only two spring elements are depicted as opposed to three spring elements as depicted in FIG. 6, all other views as depicted in FIGS. 1 through 5 as related to this alternative embodiment of applicant’s new design as depicted in FIG. 8, being the same.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8