



US00D422656S

United States Patent [19] Hicks

[11] Patent Number: Des. 422,656

[45] Date of Patent: ** Apr. 11, 2000

[54] PUTTER

[75] Inventor: David Raymond Hicks, Burley
Hampshire, United Kingdom

[73] Assignee: Higar Engineering & Automation
Company, Ltd., New Milton
Hampshire, United Kingdom

[**] Term: 14 Years

[21] Appl. No.: 29/103,025

[22] Filed: Apr. 7, 1999

[30] Foreign Application Priority Data

Oct. 8, 1998 [GB] United Kingdom 2078244

[51] LOC (6) Cl. 21-02

[52] U.S. Cl. D21/736

[58] Field of Search D21/736, 746;
473/324, 327-331, 340, 341, 251-256

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------------|-------|---------|
| D. 235,074 | 5/1975 | McCabe | | D21/742 |
| D. 263,409 | 3/1982 | Duclos | | D21/743 |
| D. 297,445 | 8/1988 | Shearer | | D21/742 |
| D. 297,446 | 8/1988 | Shearer | | D21/742 |
| D. 318,088 | 7/1991 | Antonious | | D21/736 |
| D. 362,882 | 10/1995 | Shenoha et al. | | D21/736 |
| D. 374,049 | 9/1996 | Shenoha et al. | | D21/736 |
| D. 378,390 | 3/1997 | Shumway | | D21/736 |
| D. 380,514 | 7/1997 | Markley | | D21/742 |
| 3,923,308 | 12/1975 | Mills | . | |
| 5,333,863 | 8/1994 | Shenoha et al. | | 473/341 |
| 5,340,106 | 8/1994 | Ravaris | . | |
| 5,407,196 | 4/1995 | Busnardo | | 473/340 |
| 5,429,356 | 7/1995 | Dingle et al. | . | |
| 5,439,222 | 8/1995 | Kranenberg | . | |
| 5,458,332 | 10/1995 | Fisher | . | |
| 5,462,279 | 10/1995 | Culpepper | . | |
| 5,485,997 | 1/1996 | Schmidt et al. | . | |
| 5,531,445 | 7/1996 | Levocz et al. | . | |
| 5,542,665 | 8/1996 | Levocz et al. | . | |
| 5,544,883 | 8/1996 | Meyer | . | |

| | | | |
|-----------|---------|---------------|---|
| 5,571,053 | 11/1996 | Lane | . |
| 5,603,666 | 2/1997 | Bowe | . |
| 5,632,694 | 5/1997 | Lee | . |
| 5,716,287 | 2/1998 | Levocz et al. | . |

FOREIGN PATENT DOCUMENTS

| | | | |
|-----------|---------|----------------|---|
| 1008972 | 11/1965 | United Kingdom | . |
| 1129315 | 10/1968 | United Kingdom | . |
| 2 195 086 | 3/1988 | United Kingdom | . |
| 2 281 041 | 2/1995 | United Kingdom | . |
| 2 295 774 | 6/1996 | United Kingdom | . |
| 2 298 801 | 9/1996 | United Kingdom | . |
| 2301041 | 11/1996 | United Kingdom | . |
| WO 90/061 | 6/1990 | WIPO | . |

OTHER PUBLICATIONS

Today's Golfer "What Gear Every Club for 1998 Listed" pp. 78-88.

Primary Examiner—Mitchell Siegel
Attorney, Agent, or Firm—Ratner & Prestia

[57] CLAIM

The ornamental design for the putter, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of the putter for a right-handed user;
 FIG. 2 is a front view of the putter design;
 FIG. 3 is a back view of the putter design;
 FIG. 4 is a top view of the putter design;
 FIG. 5 is a bottom view of the putter design;
 FIG. 6 is a left side view of the putter design;
 FIG. 7 is a right side view of the putter design;
 FIG. 8 is a bottom perspective view of a second embodiment of the putter as disclosed in FIG. 1;
 FIG. 9 is a front view of the putter design of FIG. 8;
 FIG. 10 is a back view of the putter design of FIG. 8;
 FIG. 11 is a top view of the putter design of FIG. 8;
 FIG. 12 is a bottom view of the putter design of FIG. 8;
 FIG. 13 is a left side view of the putter design of FIG. 8; and,
 FIG. 14 is a right side view of the putter design of FIG. 8.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

