



US00D422664S

# United States Patent [19] Tate

[11] Patent Number: **Des. 422,664**

[45] Date of Patent: **\*\* Apr. 11, 2000**

[54] **GOLF DIVOT REPAIR TOOL**

[76] Inventor: **John R. Tate**, 11621 Markon Dr.,  
Garden Grove, Calif. 92841

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/101,458**

[22] Filed: **Mar. 2, 1999**

[51] **LOC (6) Cl.** ..... **21-02**

[52] **U.S. Cl.** ..... **D21/793**

[58] **Field of Search** ..... D21/789, 793,  
D21/794; 473/286, 406, 408

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 272,461 1/1984 Burns ..... D21/793  
3,185,483 5/1965 Klynman ..... 473/286

*Primary Examiner*—Mitchell Siegel

*Attorney, Agent, or Firm*—Charles H. Thomas

[57] **CLAIM**

The ornamental design for a golf divot repair tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a golf divot repair tool showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof, it being understood that the left side elevational view is a mirror image thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front end view thereof;

FIG. 6 is a rear end view thereof;

FIG. 7 is a perspective view of a second embodiment of a golf divot repair tool employing a magnet thereon showing my new design, the steel ball marker located thereatop being shown for purposes of reference of position and in phantom and forming part of this new design;

FIG. 8 is a top plan view thereof;

FIG. 9 is a right-side elevational view thereof, it being understood that the left-side elevational view is a mirror image thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front end view thereof;

FIG. 12 is a rear end view thereof;

FIG. 13 is a perspective view of a third embodiment of a golf divot repair tool employing a magnet embedded therein showing my new design;

FIG. 14 is a top plan view thereof;

FIG. 15 is a right-side elevational view thereof, it being understood that the left-side elevational view is a mirror image thereof and that the steel ball markers attracted by the magnet are shown for purposes of reference of position and in phantom and form no part of this new design;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a front end view thereof; and,

FIG. 18 is a rear end view thereof.

**1 Claim, 6 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

