



US00D422881S

United States Patent [19]

DePass

[11] **Patent Number: Des. 422,881**
[45] **Date of Patent: ** Apr. 18, 2000**

[54] **SECURITY JALOUSIE OPERATOR**

[76] Inventor: **Geoffrey DePass**, 1484 NW. 105 Ave.,
Plantation, Fla. 33322

[**] Term: **14 Years**

[21] Appl. No.: **29/092,429**

[22] Filed: **Aug. 19, 1998**

[51] **LOC (6) Cl. 08-07**

[52] **U.S. Cl. D8/337; D8/450**

[58] **Field of Search D8/300, 307, 308,**
D8/309, 330, 331, 337, 338, 450; 16/110 R,
114 R, 121; 49/341, 342, 343, 324

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 209,901 1/1968 Fredicksen D8/308
5,216,781 6/1993 Brondfield 16/114 R

OTHER PUBLICATIONS

Item 800—A Jalousie Window Operator, p. 9, Blaine Window
Hardware, 1983–84.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard

Attorney, Agent, or Firm—D. Peter Hochberg; William H.
Holt


[57] **CLAIM**

The ornamental design for a security jalousie operator, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the preferred operator;
FIG. 2 is a front view of the preferred operator shown in FIG.
1;
FIG. 3 is a rear view of the preferred operator shown in FIG.
1;
FIG. 4 is side view of the preferred operator shown in FIG.
1 with a preferred handle portion facing to the right;
FIG. 5 is side view of the preferred operator shown in FIG.
1 with the preferred handle portion facing to the left;
FIG. 6 is a top view of the preferred operator shown in FIG.
1 with the preferred handle portion facing out of the page;
and,
FIG. 7 is a top view of the preferred operator shown in FIG.
1 with the preferred handle portion facing into the page.

1 Claim, 5 Drawing Sheets







FIG-1






FIG-3




FIG-4




FIG-5




FIG-6




FIG-7